

A final proposal for an EMIS-2017 survey of gay men, bisexual men and other men that have sex with men (MSM) (D2.2)

Contract 2015 71 01 A behavioural survey for HIV/AIDS and associated infections and a survey and tailored training for community based health workers to facilitate access and improve the quality of prevention, diagnosis of HIV/AIDS, STI and viral hepatitis and health care services for men who have sex with men (MSM).



Prepared by: Sigma Research, London School of Hygiene & Tropical Medicine, UK updated version August 2017



EUROPEAN COMMISSION

Consumers, Health, Agriculture and Food Executive Agency Unit: Health Unit - $\ensuremath{\mathsf{B}}$

Contact: Chafea

E-mail: CHAFEA@ec.europa.eu

European Commission L-2920 Luxembourg

A final proposal for an EMIS-2017 survey of gay men, bisexual men and other men that have sex with men (MSM) (D2.2)

Consumers, Health, Agriculture and Food Executive Agency Health Programme 2014-2020, 2015 AWP priority 4.1.3.

Updated version August 2017

Europe Direct is a service to help you find answers to your questions about the European Union.

Freephone number (*):

00 800 6 7 8 9 10 11

(*) The information given is free, as are most calls (though some operators, phone boxes or hotels may charge you).

This report was produced under the Third EU Health Programme (2014-2020) in the frame of the service contract 20157101 - behavioural survey for HIV/AIDS and associated infections and a survey and tailored training for community based health workers to facilitate access and improve the quality of prevention, diagnosis of HIV/AIDS, STI and viral hepatitis and health care services for men who have sex with men (MSM) with the Consumers, Health, Agriculture and Food Executive Agency (CHAFEA), acting under the mandate from the European Commission.

The content of this report represents the views of the authors and is its sole responsibility; it can in no way be taken to reflect the views of the European Commission and/or CHAFEA or any other body of the European Union. The European Commission and/or CHAFEA do not guarantee the accuracy of the data included in this report, nor do they accept responsibility for any use made by third parties thereof.

F	Print	ISBN	ISSN	doi:10.2838/	DS-AU-15-001-EN-C
F	PDF	ISBN	ISSN	doi: 10.2838/	DS-AU-15-001-EN-N

More information on the European Union is available on the Internet (http://europa.eu) Luxembourg: Publications Office of the European Union, 2019

About this report

This report was prepared as part of the ESTICOM (European Surveys and Training to Improve MSM Community Health) Project, which is a three-year tender from 28 August 2016 to 27 August 2019 contracted by the Consumers, Health, Agriculture and Food Executive Agency (CHAFEA) of the European Commission. The ESTICOM Project involves 9 European organisations under a consortium led by the Robert Koch Institute (RKI) in Berlin, Germany.

The purpose of the ESTICOM project is to strengthen the community response and raise awareness about the persisting legal, structural, political and social barriers hindering a more effective response to the syndemics of HIV, hepatitis viruses B and C, and other sexually transmitted infections (STI) among gay, bisexual and other men that have sex with men (MSM). To achieve this purpose, the consortium will deliver on three interlinked projects or objectives over the next three years:

- **Objective 1**: A European online survey of gay, bisexual and other MSM (**EMIS-2017**);
- Objective 2: A European online survey of community health workers (CHW)
 who provide sexual health support in a community setting directly to gay,
 bisexual and other MSM (ECHOES);
- Objective 3: Development and piloting of a training programme for MSMfocused CHW to be adaptable for all EU countries.

This is our second deliverable report falling under Objective 1, which is built on four Work Packages (WP): a review of MSM knowledge, attitudes and practices relating to the sexual health of gay, bisexual and other MSM, including existing surveys and training materials (WP1); a pan-European MSM survey design (WP2); promotion and execution of the survey (WP3) and; an analysis and survey report (WP4).

The tender specification for this report (Work Package 2) was outlined as follows:

Work Package 2: To develop a questionnaire that will assess the knowledge, attitudes and risk practices of gay men, bisexual men and other MSM.

This report (D2.2) concerns work package 2 (WP2) the purpose of which is design the EMIS-2017 online survey. It should be read alongside our description of initial work on the survey design in D2.1: A proposal for an EMIS-2017 survey of gay men, bisexual men and other men that have sex with men (MSM) (updated end August 2017).

This report was written and prepared by members of Work Package 2:

- Dr. Ford Hickson, David Reid, Dr. Axel J. Schmidt and Peter Weatherburn (Sigma Research, London School of Hygiene & Tropical Medicine, UK);
- Dr. Ulrich Marcus, Dr. Caoimhe Cawley (RKI)

Acknowledgements

We would like to thank all those who have provided expert review and support for the ESTICOM Project, including members of the Advisory Board: Cinthia Menel Lemos (CHAFEA), Wolfgang Philipp, Velina Pendelovska and Jean-Luc Sion (DG Sante), Teymur Noori (ECDC), Thomas Seyler and Julian Vicente (EMCDDA), Keith Sabin (UNAIDS), Sini Pasanen and Luis Mendao (Civil Society Forum on HIV/AIDS).

We would also like to particularly thank colleagues from Work Package 6 for their support and input into the survey design including: Nigel Sherriff, Jorg Huber, Nicolas McGlynn and Glynis Flood (University of Brighton, UK).

We would also like to thank the very many European stakeholders and partners who have actively participated in all three rounds of consultation on the EMIS-2017 questionnaire.

Table of Contents

About this report	4
About this report	5
Table of Contents	6
1. Introduction	7
2. Methods	
2.1 Transfer Online	8
2.2 Talk-aloud pre-testing interviews	8
2.3 First Online Consultation	8
2.4 Time-trial	9
3. Next steps	10
3.1 Questionnaire length	10
3.2 EMIS network (re-)establishment	
3.3 Translation	10
Appendix 1: First Online draft consultation comments and responses (May 2017).	12
Appendix 2: Items cut from survey since 'Proposal to funder' (to end June)	21
Appendix 3: Item analysis for questionnaire (end June 2017)	22
Appendix 4: Amendments to EMIS-<2017 questionnaire from first submission of	
D2.2 (on30 June) to second submission on 30 August	25
Appendix 5: Final EMIS-2017 questionnaire	

1. Introduction

This report is Deliverable 2.2 of ESTICOM (European Surveys and Trainings to Improve MSM Community Health) funded as part of the European Commission Health Programme 2014-2020 to deliver evidence about the sexual health of gay men, bisexual men and other MSM across Europe.

It follows on from Deliverable 2.1 and updates the account of the development of the EMIS-2017 survey in that report. The aim of this current brief report is to provide an account of the development of the EMIS-2017 survey since the version submitted as D2.1 (Proposal to Funder Draft) at the end of April 2017. This report makes a final proposal for the EMIS-2017 online survey for gay, bisexual and other men who have sex with men (MSM) across Europe (final survey version proposed is in Appendix 6).

This report comprises three main Sections including this introductory text. Section Two provides detail of the methods utilised from 28th May to the 30th August 2017 in the development of the EMIS-2017 survey (previous work is described in detail in D2.1). Section Three summarises the next steps we propose in the sign-off and preparations for implementation of the EMIS-2107 questionnaire.

2. Methods

Our first draft of our original report on survey development (D2.1) concluded with the 'proposal to Funder' draft of the survey in the form of a Word document (end April 2017). Following the transfer of this version online, there have been three rounds of cuts to the survey following each of the next three development processes. These are documented and summarised in Appendix 2.

2.1 Transfer Online

The version of the survey submitted to the funder as a proposal (in D2.1) was transferred in its entirety to an online survey application, Demographix.com. It was our original intention that the EMIS-2017 survey should be shorter than the EMIS-2010 survey. However, on transfer it was found to be somewhat longer: EMIS-2010 was 278 items over 44 pages, the initial transfer of EMIS-2017 was 333 items over 54 pages.

2.2 Talk-aloud pre-testing interviews

The initial online transfer was subject to pre-testing. We recruited ten MSM through community sources in London to take part in 'talk-aloud' interviews. An interview sat beside the respondent, who was asked to work their way through the online survey and to talk aloud about what they were thinking, how the questions struck them, and any ideas that occurred as they proceeded. In response to user comments we changed very many small details of the survey, including: correcting typographic errors; correcting routing errors; standardising the way individual questions were served; re-ordering pages; re-ordering flow of questions on the page; rewording/clarification of question stems; reordering of response sets; and expansion of response sets.

No whole questions (items) were cut in this process, although notes were made on what men found repetitive or confusing. The talk-loud pre-testing and corrections (documented in Appendix 2) resulted in the First Online Consultation draft (included in Appendix 1).

2.3 First Online Consultation

The third round of survey consultation invited the EMIS Network to test and feedback on the First Online Draft. Invitations were sent on 16 May with a deadline of 30 May.

Overall, 17 agencies responded from 12 countries, a pan-Euroepan NGO (EATG) and an out-of-Europe stakeholder. Responders raised a very wide range of larger and smaller issues with the survey. Every issue raised was considered and a response given to the consultee (see Appendix 1). The process resulted in many larger and smaller changes to the survey, as well as identifying potential cuts.

Following the processing of all comments, an item analysis was constructed and discussion occurred among the core design team to identify the least essential questions while retaining as much topic balance as possible (see Appendix 3). Several questions

were cut resulting in 325 items over 50 pages. This version of the survey was subject to an online time-trial.

2.4 Time-trial

We engaged with five health promotion agencies in the UK working with MSM and asked them to recruit up to ten men each to test the survey online, in order to estimate the average completion times. After adding in 3 time-trials carried out by English speakers in Germany, we estimated the median completion time to be 21 minutes with a very wide range (12 to 64 minutes).

As this was a marginally longer completion time than EMIS-2010 we again considered cuts to the survey and identified a small number of questions to drop. The first, second and third tier items that have subsequently been dropped are described Appendix 2.

Numerous minor issues mainly in relation to layout and design were also addressed and corrected as they arose. Our interim proposal for the content of EMIS-2017 is presented as Appendix 4 (as of end June 2017), preceded by an item analysis illustrating how much of the survey is new compared with EMIS-2010 (Appendix 3). Our final proposal for the content of the EMIS-2017 is presented in Appendix 6. This constitutes the draft we propose to send to translation. It is preceded by a full description of all the changes made to the EMIS-2017 questionnaire between the first submission of this deliverable at the end of June 2017, and the end of August 2017 (included as Appendix 5).

3. Next steps

3.1 Questionnaire length

We believe the final proposed EMIS-2017 questionnaire (in Appendix 6) will take no less time to complete than EMIS-2010 – approximately 20 minutes on average. While had hoped to make the questionnaire somewhat shorter we believe we have managed to ensure that the majority of stakeholders will feel that most of their priority question areas are included. We have also stated very clearly to potential participants (in the entry page to the survey) that the average completion time is twenty minutes and encouraged people to allow this time to participate.

3.2 EMIS network (re-)establishment

The old EMIS network and new partners were contacted between mid May and end of June 2017. Following the same policy applied in 2009-11, we asked each country for two key contacts:

- 1. One NGO partner responsible for local support for survey promotion, to ensure that the language of the questionnaire is adequate for participants, and to ensure the data analyses and reports cover the most important topics and are presented in a non-homophobic/non-stigmatising manner.
- 2. One key academic/governmental contact to encourage use of the data and to ensure that data can be analysed according to public health and primary surveillance needs.

In addition, because of the tight budget, we asked for each language if someone from a national NGO (who would have to supervise the translation process anyway) to volunteer to perform the online translation (see 3.2) for very low cost.

All answer sets for the question on area of residence have been re-appraised and amended if needed in close collaboration with the key contacts for each country.

3.3 Translation

The current online version of the EMIS-2017 English-language survey will be translated once the survey has been signed-off by the contracting authority. To maximise time and cost efficiencies as well as to simplify the process and reduce the burden on contact points in Member States, translation of the final approved survey will be conducted in close collaboration with the Objective 2 lead (and the project coordinator at RKI) using the demographix.com platform.

The EMIS-2017 survey will be available in the following 23 EU languages: Bulgarian, Croatian/Serbian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Greek, Hungarian, Italian, Latvian, Lithuanian, Maltese, Polish, Portuguese, Romanian, Slovak, Slovenian, Spanish and Swedish. As in EMIS-2010, Irish and Welsh will not be used as English will reach all eligible MSM in Ireland and Wales.

The survey will also be available in a range of other languages including Norwegian (which contributes to the Health Programme) and key migrant languages including Russian and Turkish.

Multilingual proof-readers will be asked to use a similar system to compare and contrast survey translations. *Demographix* also allows us to give simultaneous access to all EMIS partners who needed to review a specific version of the survey, prior to being published and launched.

Appendix 1: First Online draft consultation comments and responses (May 2017)

Responders: Overall, 17 agencies responded from 12 countries (AT, CH, CZ, DE, DK (3 responses), ES, FR, IE, MT, NL, SK, UK (3 responses)).

COUNTRY AND COMMENT	DESIGN TEAM RESPONSES
AUSTRIA	
PEP / PrEP and Chemsex questions seem the central part of the questionnaire, so for my taste it could have been shortened in other sections.	Prioritise HIV knowledge for cutting.
CZECH REPUBLIC	
Question: Has a health service in Czech Republic ever spoken to you about PrEP? "Health service" could a confusing term as it has an ambigous meaning - a) general practitioner or b) public health service. When "I WAS TOP" question is selected (meaning I fucked him but he did not fuck me), the next question is irrelevant and should not be displayed: Did he use a condom when he was active in intercourse (when he fucked you)? No / Yes, all the time he was fucking / Yes, but not all the time / I don't remember/I don't know.	Amended to "Has anyone at a health service in *country* ever spoken to you personally about PrEP?" Routing corrected.
When was the last time you consumed crystal methamphetamine (crystal, meth, Tina)? Drug names localisation will be necessary - in the Czech Republic the most common drug used by MSM is indeed methamphetamine, but is known as "pervitin" - crystal, meth, Tina may not sound familiar to some users.	Pervitin added to list of synonyms.
DENMARK	
"I feel a lack of intimacy with another person" could be misunderstood. Do you mean "any" person meaning "I don't feel intimacy with any person/anyone" or with a "special" person meaning "There is this special person I don't feel intimate with". I guess you mean the first, men I am not totally sure.	Attachment sub-scale removed (to shorten survey)
"Are you sexually attracted to men?" It feels odd to talk about attraction and then differentiate between "several" and "many" men. Is is about how OFTEN I feel attracted by another man, or whether I feel like have group sex with many men, or many different types of men. So could you explain to make it easier to understand and translate?	Question changed.
"How many years have you been in a steady relationship with this man? (If you have more than one steady relationship with a man, please tell us about the longest)". To clarify I would add "at the moment" in the last sentence: "If you have more than one steady relationship with a man AT THE MOMENT, please	Not altered to retain consistency with 2010.
"Pre-Exposure prophylaxis (PrEP) involves someone who does not have HIV taking a pill before as well as after sex to prevent them getting HIV." "a pill" could be misunderstood when you refer to event-based PrEP, so I would say "pills" instead, referring to 2 pills before and at least 2 pills after".	Amended.
On the page "What happened during tests for sexually transmitted infections in the last 12 months?" Why don't you ask about urethral swab when you ask for anal and pharyngeal?	Routing error corrected

"ESTICOM is funded by the EU Health Programme 2014-2010" on the	Fed back to RKI.
last page after submitting answers. Please correct 2010 to 2020.	
In one question I had to choose if I had a penis or a vagina. Now, for	Amended.
me personally, that did not constitute a problem, but in case you wish	
to avoid fury, you may want to make it possible to tick both.	
To shorten Section 'About using various substances', asking: 'Have you	We have a design principle of trying to keep
consumed any of these substances within the last 6 months [or another	things identical to EMIS-2010 unless they
period]?' With yes and no to alcohol, poppers, Viagra etc. (We really	are clearly broken. So although your
don't need to know whether they consumed them within 24 hours/7	suggestions for shortening are valid, they
days/ etc). Similarly, with the next 13, i.e. the section 'About other	would change the data format from that we
substances you may have consumed': 'Have you consumed any of these	collected in 2010, so that is why we want to
substances within the last 6 months?' with yes and no to cannabis etc.	keep the slightly longer versions.
etc. ending with crack cocaine	
We suggest that we drop general health and social support, and cut	We have cut the general health questions
right to the chase. We are not suggesting that general health and social	and 4/12 of the social support items. Social
support among MSM is uninteresting, we just think that if we are to	support (like internalised homonegativity) is
prioritise, those are the items that have to go. We feel that in order to	theorised as a health need influencing a
uncover and analyze the psycho-social aspects one would need many	wide range of risk and precaution
more questions, so to not "sit down between two chairs" as we say in	behaviours and we want to keep some
Danish, in this survey let's stick to "behavior" and "experience" more	indicators of need rather than only
than "feelings".	behaviours.
We would like to ask why in EMIS2017 'anal sex' seems to have been	Several collaborators have pointed out that
replaced by 'intercourse' in the long line of questions about sex with	'anal sex' is limiting for trans men who have
different types of partners. Would it not be much more logic and	not had lower surgery (ie. some men have a
simplify it a bit (for the respondent) to write 'anal sex' instead of	vagina). Rather than double all the sex
'intercourse'?	questions and route respondents through
	them on the basis on genitalia, we have
	'pulled back' the specificity of 'anal sex' and
	instead use 'intercourse' that covers both
	anal sex and vaginal sex. We accept that this
	changes the wording slightly from 2010 but felt that if we were inviting trans men to
	continue with the survey then it should be
	sensitive and appropriate for them.
We have noted that in some questions the term 'anal sex' is used	These questions have been re-written (for
instead of 'intercourse': That goes for (at least) two questions on p. 52:	other reasons) and the word 'anal' no
'What did you know about the viral load of the HIV positive man/men	longer appears in questions.
you had anal sex with without a condom?' and 'What did you know	Tonger appears in questions.
about the PrEP situation of the HIV negative man/men you had anal sex	
with without a condom?'. We think this is a much better solution, and	
we suggest it is applied to all questions about 'intercourse with a male	
partner'.	
IN THE SECTION "ABOUT RELATIONSHIPS": When asking about sex with	Only 6% of men in EMIS-2010 would answer
women (which we naturally want to know about) maybe we could drop	this question and we prefer to retain it for
asking if the women were HIV-positive. We have no way of analysing	symmetry.
the answers without additional questions (have you infected her or vice	
versa, is she on ART etc), and we don't really see the need for that.	
IN THE SECTION ABOUT USE/ABUSE We would like to see that section	We want to keep the format the same as in
reduced. The chemsex questions are of cause pertinent, but maybe	2010 where possible.
they could be grouped a bit, so you first have to answer yes or no to	·
"have you taken any of these (group of drugs)", and if "yes" then go on	
to questions about the individual drugs.	
We don't see any need to ask about tobacco. What does that have to	Tobacco is useful to contrast the data with
do with HIV and STIs? Also, frankly, alcohol: we know it is a problem	other drugs (tobacco has a unique recency
among MSM too, so why reiterate?	curve).
i amone ividivi too, so wiiv (Ellefale!	

We think it is important that the questionnaire has as positive an We acknowledge this point and feel the impact on the respondents as possible – otherwise they are not going reverse is also true that men who do not to answer (truthfully), and too many questions about what you ought smoke (and the smaller number who do not not to do could have a rather negative impact. If we really want to know drink) but who take other drugs may be put about some specific behaviour, then it can't be helped asking a lot of out that the drug causing the largest questions about it. But we don't feel that holds true for tobacco and amount of morbidity among gay men alcohol. (tobacco) is not being asked about. IN THE SECTION 'DID YOU KNOW THIS ABOUT STIs we suggest adding There is now a long list of items we would the option: "Condoms offer a high degree of protection against most like to add (or reinstate) and these are as sexually transmitted infections" good as any of them. Alas, we are at the development stage beyond additions. IN THE VACCINATION SECTION we suggest adding a question about HPV vaccination. Something like "There is a vaccine against HPV, the virus that causes cancer (cervix, penis, anus, throat) and genital warts. Have you been vaccinated against HPV?" About the exclusion process based on gender: We are not sure how the The survey population is people who exclusion process works and why. It seems we first spend a lot of identify as men (gender identity). Hence energy getting people to point out both what gender they feel (!?!) they people who do not identify as men are belong to, and also what gender they were "assigned" (!!?!) at birth, excluded. Some men were assigned female and then we throw them out if they are non-binary or transgender. at birth (trans men) and some do not have a Probably some of the transgender men see themselves as men and penis. don't want/need to be thrown out? Why not keep everybody with a dick who has sex with men? **FRANCE** self-definition: If the attraction to a non-binary person is asked, then, There are a large number of rarely used « Pansexual » need to be added to sexual identity. sexual identitites and we feel that to offer responses for each would result in a clumsy question. We accept the response option 'any other term' will be very diverse. Question about HIV TEST/ Question « Have you ever received an HIV The question specifically asks "Have you test result » is asked, and if not « Why have you never been tested ». ever received an HIV test result?" to Someone could have been tested, but have never received the result. preclude this. Questions need to be standardised. In the same way, when the date of The result of the last test is asked before the the last test is asked, to be accurate, you have to ask if the result of this date of that test (and the date is asked test is known. separately for last tested negative and tested positive). Question « On that most recent occasion with a non-steady Fixed. partner... »: there is a bracket problem Question « On the most recent occasion with a non-steady partner.... »: Although logically feasible to not serve Check filter on this question, according to what was stated in question some questions or responses in the 'last before. non-steady session' section based on answer given in the 'sex in last year' section, we have chosen not to both to increase options for checking data validity and also to minimize database complexity and data replacement. When was the last time you had intercourse without a condom solely Do you know of a short and valid 'access to because you did not have a condom? I have a doubt on the internal condoms' scale? validity of this item How many women do you have sex with in the last 12 months." It is Amended. possible to tick "None", even if it is stated before that the respondent has a feminine partner in the last 12 months. None could be erased in this question.

consumption, even if consumption was stated before. A filter could be proposed, and the last choice could be erased. Question « For how many years have you been combining stimulant drugs and multiple sexual partners -> There is twice "More than 10 years" in the list Answers for "Social support" seems to have more spaces between each item, in comparison with other question. Same for « How you feel about your sex life ». This has a direct action on scrolling. Please check if the diagnostic date is asked for VIH+ people. I experience a bug in this part, a date was not asked. The questionnaire is not fluent on mobile phone. Loading is quite long. I experienced several disconnections, and each time I had to start again the whole questionnaire. GERMANY For some of the German postal regions the main cities should be mentioned in brackets (01 – Dresden; 10 – Berlin; 04 Leipzig; 40 0 bisseldorf), because some people are unfamiliar with the use of a zero in the beginning and the city size does not differentiate between Leipzig and Disseldorf. I would still suggest to seperate "knowing" from "assuming" when it comes to sero-status knowledge of the partner. The phrasing of the knowledge of non-steady UAI partner's HIV status is the same in EMS-2010. If we change it the data will be far less comparable. Also, the three questions from the diagnost is the same and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. FRELAND General health and mental health. I think this is too early and could set drop offs. It says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 450 but 1 still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no bec		
Answers for "Social support" seems to have more spaces between each item, in comparison with other question. Same for « How you feel about your sex life ». This has a direct action on scrolling. Please check if the diagnostic date is asked for VIH+ people. I experience a bug in this part, a date was not asked. The questionnaire is not fluent on mobile phone. Loading is quite long. I experienced several disconnections, and each time I had to start again the whole questionnaire. GERMANY For some of the German postal regions the main cities should be mentioned in brackets (01 – Dresden; 10 – Berlin; 04 Leipzig; 40 Düsseldorf), because some people are unfamiliar with the use of a zero in the beginning and the city size does not differentiate between Leipzig and Düsseldorf. I would still suggest to seperate "knowing" from "assuming" when it comes to sero-status knowledge of the partner. The phrasing of the knowledge of non-steady UAI partner's HIV status is the sam as in EMIS-2010. If we change it the data will be far less comparable. Also, the three questions (neg. pos. dy bould capture all partners. Changing the wording to 'know assumed' moves partners from the dic ategory the neg and pos categories rathe than revealing more risk. IRELAND General health and mental health. I think this is too early and could see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no because I even started to think what does this mean only to one, several many what is the difference between several and many? The PEP and PrEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOU	consumption, even if consumption was stated before. A filter could be proposed, and the last choice could be erased. Question « For how many years have you been combining stimulant drugs and multiple sexual partners -> There is twice "More than 10	
why the diagnosis date question would no be served if "HIV test history' is diagnose positive. The questionnaire is not fluent on mobile phone. Loading is quite long. I experienced several disconnections, and each time I had to start again the whole questionnaire. GERMANY For some of the German postal regions the main cities should be mentioned in brackets (01 – Dresden; 10 – Berlin; 04 Leipzig; 40 Düsseldorf), because some people are unfamiliar with the use of a zero in the beginning and the city size does not differentiate between Leipzig and Düsseldorf. I would still suggest to seperate "knowing" from "assuming" when it comes to sero-status knowledge of the partner. The phrasing of the knowledge of nonstady UAI partner's HIV status is the sam as in EMIS-2010. If we change it the data will be far less comparable. Also, the three questions (neg, pos, dk) should capture all partners. Changing the wording to 'know assumed' moves partners from the dk category the neg and pos categories rathe than revealing more risk. IRELAND General health and mental health. I think this is too early and could see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no because I veeks. Sexual attraction. could it be just yes or no because I veeks. The PEP and PFP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no.	Answers for "Social support" seems to have more spaces between each item, in comparison with other question. Same for « How you feel	Fixed.
Internet service provider limitations we as aware of but have no influence over. GERMANY For some of the German postal regions the main cities should be mentioned in brackets (01 – Dresden; 10 – Berlin; 04 Leipzig; 40 Düsseldorfl, because some people are unfamiliar with the use of a zero in the beginning and the city size does not differentiate between Leipzig and Düsseldorf. I would still suggest to seperate "knowing" from "assuming" when it comes to sero-status knowledge of the partner. The phrasing of the knowledge of non-steady UAI partner's HIV status is the sam as in EMIS-2010. If we change it the data will be far less comparable. Also, the three questions (neg, pos, dk) should capture all partners. Changing the wording to 'know assumed' moves partners from the dk category the neg and pos categories rathe than revealing more risk. IRELAND General health and mental health. I think this is too early and could see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no because I even started to think what does this mean only to one, several many what is the difference between several and many? The PEP and PEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no.		This has been checked and we cannot see why the diagnosis date question would not be served if 'HIV test history' is diagnosed positive.
For some of the German postal regions the main cities should be mentioned in brackets (01 – Dresden; 10 – Berlin; 04 Leipzig; 40 Düsseldorf), because some people are unfamiliar with the use of a zero in the beginning and the city size does not differentiate between Leipzig and Düsseldorf. I would still suggest to seperate "knowing" from "assuming" when it comes to sero-status knowledge of the partner. The phrasing of the knowledge of non-steady UAI partner's FIIV status is the sam as in EMIS-2010. If we change it the data will be far less comparable. Also, the three questions (neg, pos, dk) should capture all partners. Changing the wording to 'know assumed' moves partners from the dk category the neg and pos categories rathe than revealing more risk. IRELAND General health and mental health. I think this is too early and could see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no because I even started to think what does this mean only to one, several many what is the difference between several and many? The PEP and PrEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no. This is similar to "How confident are you that you could get PEP if you thought you needed it?" which will give us comparable.	I experienced several disconnections, and each time I had to start again	Loading time and connection continuity are internet service provider limitations we are aware of but have no influence over.
mentioned in brackets (01 – Dresden; 10 – Berlin; 04 Leipzig; 40 Düsseldorf), because some people are unfamiliar with the use of a zero in the beginning and the city size does not differentiate between Leipzig and Düsseldorf. I would still suggest to seperate "knowing" from "assuming" when it comes to sero-status knowledge of the partner. I would still suggest to seperate "knowing" from "assuming" when it comes to sero-status knowledge of the partner. I metalogous the partner of the data as in EMIS-2010. If we change it the data as in EMIS-2010. If we change it the data as in EMIS-2010. If we change it the data as in EMIS-2010. If we change it the data as in EMIS-2010. If we change it the data will be far less comparable. Also, the three questions (neg, pos, dk) should capture all partners. Changing the wording to 'know assumed' moves partners from the dk category the neg and pos categories rathe than revealing more risk. IRELAND General health and mental health. I think this is too early and could see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no because I even started to think what does this mean only to one, several many what is the difference between several and many? The PEP and PrEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no.	GERMANY	
steady UAI partner's HIV status is the sam as in EMIS-2010. If we change it the data will be far less comparable. Also, the three questions (neg, pos, dk) should capture all partners. Changing the wording to 'know assumed' moves partners from the dk category the neg and pos categories rathe than revealing more risk. IRELAND General health and mental health. I think this is too early and could see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no because I even started to think what does this mean only to one, several many what is the difference between several and many? The PEP and PTEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no. This is similar to "How confident are you that you could get PEP if you thought you needed it?" which will give us comparable.	mentioned in brackets (01 – Dresden; 10 – Berlin; 04 Leipzig; 40 Düsseldorf), because some people are unfamiliar with the use of a zero in the beginning and the city size does not differentiate between Leipzig	Names added to all postal codes.
General health and mental health. I think this is too early and could see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no because I even started to think what does this mean only to one, several many what is the difference between several and many? The PEP and PrEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no. This is similar to "How confident are you that you could get PEP if you thought you needed it?" which will give us comparab	comes to sero-status knowledge of the partner.	steady UAI partner's HIV status is the same as in EMIS-2010. If we change it the data will be far less comparable. Also, the three questions (neg, pos, dk) should capture all partners. Changing the wording to 'know or assumed' moves partners from the dk category the neg and pos categories rather
see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks. Sexual attraction could it be just yes or no because I even started to think what does this mean only to one, several many what is the difference between several and many? The PEP and PrEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no. This is similar to "How confident are you that you could get PEP if you thought you needed it?" which will give us comparable.	IRELAND	
to think what does this mean only to one, several many what is the difference between several and many? The PEP and PrEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no. This is similar to "How confident are you that you could get PEP if you thought you needed it?" which will give us comparable.	see drop offs. it says general health but second part is mental health I had to re-read this and while filling it in wondered, what could be it used for? Should this be a mental health survey? I myself suffered with anxiety up to my 40s but I still wasn't sure how to answer it and thoughts of mortality I would presume are common among people as we get older? It goes from last 6 months to last 2 weeks.	
The PEP and PrEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC On PEP if you state you have never tried could a question be reintroduced before this: Do you know where/how to get PEP? yes/no. We've followed this suggestion. This is similar to "How confident are you that you could get PEP if you thought you needed it?" which will give us comparable.	to think what does this mean only to one, several many what is the	We've followed this suggestion.
introduced before this: Do you know where/how to get PEP? yes/no. that you could get PEP if you thought you needed it?" which will give us comparable.	The PEP and PrEP section perhaps have these in BOLD e.g. Have you heard of PEP? (place PEP in bold) or have the heading ABOUT PEP ETC	We've followed this suggestion.
data with other surveys.		This is similar to "How confident are you that you could get PEP if you thought you needed it?" which will give us comparable data with other surveys.
	ever spokenask 'Is PrEP available in your country (Ireland) from	This can better be established through

Have you got PrEP information from: health service, Community group, website etc.	This is measuring something different (valuable but would be an extension rather than an alternative and we're now in cutting mode).
Hepatitis - I think if you use both shots in hepatitis A it should state three shots in Hepatitis B (or use I have completed the course in bot sections) actually the hep a should reflect the outline in hep b.	These have been modified in line with your suggestion.
The last question should be do you know how to get vaccinated for hepatitis AYes / no not Hepatitis B	This has been corrected.
If I had two or three pints and had sex I don't think I am under the influence of alcoholbut if I was pissed and went to sauna etc I would also when I did smoke dope I wouldn't have thought a puff or two of a joint was under the influence. Perhaps it should state when was the last time you had sex with someone and had not drunk alcohol and a second question or taken drugs including prescription drugs.	"Under the influence" is self-defined, so if you think you were not under the influence (even though you'd had a pint or a puff) then that's the answer.
in the last year how much sex you had with men at first i thought it was about the men I was with had they been under the influence could there be just one question?	"At first" suggests you did answer the right question though (we tried simplifying it by taking out 'with men' but this is not the question we want to ask).
In the last year have you been under the influence of alcohol or other drugs when you had sex with another man (once, twice to 5 time, more than 5 times etc.)	Aiming for % rather than number of times.
Concern about drugs could it be a qif needed do you know where to get information/support	We are unable to add questions at this stage.
"Have you consulted Health professionals" reduce the time lines in both following questions.	The time scales match all the other questions.
Experience of abuse (because of the association with sexual abuse/rape etc) perhaps have a heading Experience of Intimidation or Experience of Hate	Now reads "About homophobic intimidation and assault"
ITALY Is the survey not going to include transgender women? If they will be included – which I think would be a good option – this part should be adapted accordingly.	The survey is for people who identify as men (cis or trans) and so, no, it will not include transgender women.
I would suggest "If it does not exist anymore, please select one nearest country" or similar	This is the wording we used in 2010 and we are trying to keep the wording identical unless there was a serious problem with it.
In Social Support: in general, I would keep more "positive" responses coming in the same order; for the first statement, the last option is the most positive one ("I strongly agree with the statement that I have people I can count on"), while for the second statement the most positive option ("I strongly disagree that I feel a lack of intimacy") comes as the first one. Putting more positive responses in the same order would make more intuitive the response, I don't know if there are other reasons for having it the way you did.	The 12 items on this page and the next 2 from three 4-item subscales of a social support scale. In reducing the length of the survey we have had to cut one of the subscales and have reordered the remaining 8 items. Scales usually mix positive and negative items to encourage attention.
I have the feeling that some people may be pushed to agree with statements presented as TRUE. Wouldn't it be better to ask people whether they agree with those statements?	Yes, you are right. The question from generates optimistic measures of knowledge. We use it because it serves an educational function (and this is the form and some identical items to 2010).
Have you ever tried to get PEP? This question is weird for an HIV-positive man; should I think before my diagnosis? Should I think about trying to get it for my partner? I see that if you select "yes" then there is an additional question "Before you were diagnosed with HIV, had you ever taken PEP?" but this does not appear if I select "No". Beside this, I could understand the difference between the first question about	The questions have been amended.

"tried to get PEP" and the second about "taking PEP" only after thinking of it. When I read the first question first time, I thought it was about taking it. Would it be good to add "even if you did not take it"?	
If someone knows in advance when they will have sex PrEP can be taken between 24 and 2 hours before sex and then at both 24 and 48 hours after sex. Correction: THIS IS NOT TRUE!!! You then have to take it 24 and 48 hours after the first pill, not after sex! It should be: "If someone knows in advance when they will have sex, PrEP can be taken two pills between 24 and 2 hours before sex and then at both 24 and 48 hours after the first pill"	This item has been amended.
In this survey we use the term "intercourse" (fucking, screwing) to mean sex where one partner puts their penis into the other partner's anus or vagina, whether or not this occurs to ejaculation. "Intercourse" does not include oral sex or the use of dildos. Question: What's the point of adding "vagina" here?	So it is appropriate for trans men who have not had lower surgery, and so we can use the same definition for sex with women.
Suggestion: since I already stated that I have not a steady partner now, I wonder whether you ask whether I had any kind of sex with SOMEONE ELSE' steady male partner I suggest to change it to: "In the last 12 months have you had any kind of sex with your steady male partner?"	Again, this is the wording used in 2010 and the question needs to work for men who had a steady partner in the last year but no longer, as well as men who have one currently. We do not want to have separate questions for men with a current steady partner and those without.
When was the last time you consulted a health professional for your drug use concerns (apart from tobacco use)? AND When was the last time you attended a self-help group, harm reduction programme or counsellor about your drug use (apart from tobacco use)? Suggestion: I find the way these questions are formulated stigmatizing, as if ANY drug use would require consultation. I suggest to put it this way: Did you ever consult a health professional for your drug use concerns (apart from tobacco use)? No, never / Yes, within the last	These items have been amended in line with this suggestion.
I have been treated less favourably by others when they have learned that I have HIV. I have been treated unfairly by others because they know I have HIV. Question: I don't understand if "others" here also refers to potential sexual partners (this is explicitly mentioned in another question). Having been refused by sexual partners for my HIV status is one – not so rare – thing which is "unfair" and "less favourable" so I tend to respond thinking of my potential sexual partner since I was never treated "less favourably" on "unfairly" by others. If you need to know whether this happened OUTSIDE the sexual context, you should specify it.	These items are part of an 11 item scale which is asked only of men with HIV. Since the survey needs to be shortened and since men with diagnosed HIV are served more questions than other men already, this scale has been removed from the survey.
MALTA Social history and Social Support – too many repetitive questions to analyse the current support system of the individual.	The 12 items in the draft are three 4-item subscales of a social support measure. In trimming the survey this will probably be reduced to 8 items (two 4-item scales). These scales will be scored before the databases are shared with collaborators.
Testing – In Malta self-swabbing is promoted within the Governmental entities, Hep A vaccine is not in our schedule and not given to risk communities	databases are shared with collaborators. This situation will be reflected in the data.
About sex with men – legal age for consensual intercourse is 18 in Malta (Ethical issues considerations or instigations for juvenile sex can be attributed to the survey)	Respondents must indicate on the opening page that they are at the legal age of consent for the country they live in. The survey does not encourage or instigate sex for anyone.

Were you having sex with one man or more than one man? – Orgies, gang bangs and other activities like chem parties are excluded from the options	Group sex will be indicated by the 'It was me and three or more other people' option.
When was the last time you paid a man to have sex with you. By paid we mean you gave him money, gifts or favours in return for sex. – Before this question one needs to first ask if they have ever used escorts	Those who have never done so will indicate 'never' in response to the question (this has been pre-tested).
When was the last time you injected with a used needle or syringe given, lent, rented or sold to you by someone else? – A question more relatable to IVDU and not to steroid users	There is a concern about increases in IVDU among MSM in Europe through the 'chemsex' phenomena – this is the situation the question is probing.
Considerations towards the type of pornographic materials and sexual practices should be considered due to the high relation cited in literature.	We would have liked to include this topic but the survey is already too long. Priority topics were decided much earlier in the survey development process and we are unable to add to them.
Constrictions / limitations to testing as to current legal prosecutions in different countries need to be assessed.	As above. Also, mapping the legal context would best be done through another method.
Answers related to sexual practices and testing need to have a lesser gap i.e. less than 4 weeks ago, less than 8 weeks ago, less than a year ago - reason being that suggested screening for SAI including HIV is to repeat tests after 6 months if no symptoms have been identified and neither risky behaviour has been assessed.	The recency scale is standard for all questions and is that used in EMIS-2010. It is important to keep it the same for comparison with the last survey.
Testing from different parts within the healthcare system - Can we ask if a GU number (a non-identifiable number) was given from the healthcare professional - this will enhance privacy measures as ID numbers and blood tests under ID numbers can be accessed from any health professional.	Again, we are trying to reduce the number of questions in the survey at this stage. We hope the 'I was satisfied with the confidentiality of the service' will cover this concern.
NETHERLANDS	
Because the EMIS logo and the titles of the subsections are both in the same colour, you tend not to read these.	Page header colour changed throughout.
Most of the time it is not really a problem but I do fear that there will be some confusion between PEP and PreP. In Belgium PreP is more top of mind so some men could be completing the PEP section while thinking of PreP. I understand you can't give more information because you are asking about their knowledge but still, it is tricky.	PEP and PrEP spelled out in full on page titles.
PORTUGAL	
About your social "Another person" should be accompanied by the definition of what type of another person friends, family, sexual partners	This item is no longer in the survey. The 12 items on social support were three 4-item subscales. We have cut one of the subscales and it is the subscale that contained this item.
Last HIV test site: It would be useful to use Checkpoint as an option response or community-based/checkpoint at the same time, many people here do not know what's the difference of a community-based (non-official) and primary care-based (official) HIV testing sites.	The word Checkpoint was inserted the response options (after 1st consultation) but was removed again (after 2nd consultation). "Checkpoint" is a common name given to some community-based HIV/STI screening services for MSM in Europe. There was concern men in countries without services named Checkpoint might not know what Checkpoint is without additional explanation (RU La-Sky). It was pointed out that some countries have similar but not identical names (eg. TESTPOINT) and

	whether to translate 'Checkpoint' (SE
	PHAS). There were also challenges as to why
	services called 'Checkpoint' are privileged in
	the survey by being individually named (ES
	Ministry of Health; LI Demetra; RS IPH; SE
	RFSL) and requests for other named services
	to be included. It is not possible to provide
	the name of all services so in pursuit of
	equity this specific question was removed.
Have your ever had any kind of sex with a man (please include any	The distinction between penetrative (anal)
sexual contact, not just intercourse)? And Have you ever had	and non-penetrative sex is very important
intercourse with a man (either "passive" or "active" fucking), either	for sexual risk profiles and keeping these
with or without a condom? Are very similar, we suggest uniting them.	two questions allow examination of the
	time between first sex and first intercourse.
	We also feel it important to undermine the
	hetero-centric view that sex between men
	means anal sex.
Intercourse should always be accompanied by the definition trough out	This would be very cumbersome. We
the survey. Eg. Intercourse (receptive or insertive anal sex)	define the word intercourse in the survey
	so it is applicable to both anal and vaginal
	sex, thereby making the survey appropriate
	for trans men who have not had lower
	surgery. We have included the definition at
	the top of some later pages.
Have people annoyed you by criticizing your drinking? Those who	This is standardised scale so we are unable
respond yes, is it because they drink too much or too less?	to modify the item.
SLOVAKIA	
I propose to include following questions into the questionnaire: Do	No additional topics considered at this
you ever ask NGOs to help you to solve your personal problems?	stage.
Were you satisfied with their help? Do you ever ask NGOs to help you	
to solve your health problems? Were you satisfied with their help?	
Have you ever been diagnosed with hepatitis B? () No () Yes () Don't	Answers to these two questions are within
know	the response sets for the vaccination
Have you ever been diagnosed with hepatitis A? () No () Yes () Don't	questions – however we have rephrased the
know	first response options in order to clarify this.
In the following question I miss the answer "always" - "When was the	Question is asking recency not frequency –
last time you had sober sex (that is, NOT under the influence of alcohol	frequency is asked in the next question.
or any other drug)?"	
I would like to advise to change this sentence: " A person with HIV who	Item phrased in light of Prevention Access
is on effective treatment (called 'undetectable viral load') cannot pass	Campaign consensus statement. Not
their virus to someone else during sex." to the following: "A person with	changed.
HIV who is on effective treatment (called 'undetectable viral load')	
greatly reduces the risk of HIV transmission but not other STIs to	
someone else during sex."	
SWITZERLAND	
Over the last 2 weeks, how often have you been bothered by the	The response set is for a standardized scale
following problems? I find it difficult to make a difference between	(PHQ-4) but if it is not going to work in all
"several days" and "more than half the days". You could maybe	our languages it is not good enough. We
propose "few days" instead of "several days". But maybe it is just about	have changed "several days" to "some
language.	days" (as 'few' suggests two or three).
Too much questions on social support.	The 12 items form three 4-item subscales.
	One of these subscales has been removed
	so there are now 8 social support items.
Are you sexually attracted toI think choosing between these many	These three items have been combined.
options might be perceived as tedious. What is the scientific interest to	

know if respondents are attracted to one, several or many other persons? Where did you go for your last HIV test? I would leave "A doctor in private practice" in the following option: "A doctor in private practice / laboratory", as it is already covered by "General practitioner / family doctor", and "Laboratory" is a very different setting to get a HIV test. When were you last diagnosed with chlamydia or LGV? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV, did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". We agree these are different locations but we have instead removed 'laboratory' from this response as doing so will be rare (and the respondent can use Elsewhere) and the respondent can use Else
Where did you go for your last HIV test? I would leave "A doctor in private practice" in the following option: "A doctor in private practice / laboratory", as it is already covered by "General practitioner / family doctor", and "Laboratory" is a very different setting to get a HIV test. When were you last diagnosed with chlamydia or LGV? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV, did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". Do that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". We agree these are different locations we have instead removed 'laboratory' from this response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the response as doing so will be rare (and the respondent can use Elsewhere) and the response were land the respondent can use Elsewhere) and the responde
private practice" in the following option: "A doctor in private practice / laboratory", as it is already covered by "General practitioner / family doctor", and "Laboratory" is a very different setting to get a HIV test. When were you last diagnosed with chlamydia or LGV? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV, did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". Do that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". we have instead removed 'laboratory' from this response as doing so will be rare (and the respondent can use Elsewhere) and the mistant in some countries. This is correct. We are trying not to make the survey too long (especially for men who are affirmative for the things we a
laboratory", as it is already covered by "General practitioner / family doctor", and "Laboratory" is a very different setting to get a HIV test. When were you last diagnosed with chlamydia or LGV ? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV , did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". this response as doing so will be rare (and the respondent can use Elsewhere) and the distinction between general practice and private practice is important in some countries. This is correct. We are trying not to make the survey too long (especially for men who are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This is correct. We are trying not to make the survey (olong (especially for men who are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This is correct. We are trying not to make t
doctor", and "Laboratory" is a very different setting to get a HIV test. When were you last diagnosed with chlamydia or LGV? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV, did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". Do n that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". the respondent can use Elsewhere) and the distinction between general practice and private practice is important in some countries. the respondent can use Elsewhere) and the distinction between general practice and private practice is important in some countries. This is correct. We are trying not to make the survey too long (especially for men who are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
distinction between general practice and private practice is important in some countries. When were you last diagnosed with chlamydia or LGV ? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV , did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". Do that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". distinction between general practice is important in some countries. This is correct. We are trying not to make the survey too long (especially for men who are affirmative for the things we are trying and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
When were you last diagnosed with chlamydia or LGV ? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV , did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". This is correct. We are trying not to make the survey too long (especially for men who are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
When were you last diagnosed with chlamydia or LGV ? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV , did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". This is correct. We are trying not to make the survey too long (especially for men who are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
When were you last diagnosed with chlamydia or LGV ? If <12 months, question about "the last time you were diagnosed with chlamydia or LGV , did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". To remove the survey too long (especially for men who are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt by the design team to be measure) and partner notification was felt
question about "the last time you were diagnosed with chlamydia or LGV , did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". Same suggestion for all questions asking "how many". On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". the survey too long (especially for men who are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
question about "the last time you were diagnosed with chlamydia or LGV , did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". Same suggestion for all questions asking "how many". On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". the survey too long (especially for men who are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". are affirmative for the things we are trying to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
partners that they also needed a test/treatment?" doesn't appear. Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". to measure) and partner notification was felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
Maybe it is deliberately omitted? Idem for anal or genital warts. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". felt by the design team to be more important for gonorrhea and syphilis. Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
important for gonorrhea and syphilis. How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL".
How old were you the very first time you had any kind of sex with another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". Same suggestion for all questions asking "how many". On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". Less than 5% indicated 'older than 30 years' in the 2010 survey and the current format avoid a very long drop down which may be a problem on some phones. This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
another male: Why not propose to put a number or a list of number from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
from 1 to 99 y.o? It would allow to compute easily a mean/median agefor analyses. Same suggestion for all questions asking "how many". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
agefor analyses. Same suggestion for all questions asking "how many". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
Same suggestion for all questions asking "how many". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". This was how it was asked in 2010 and we are trying to keep the format identical where possible for comparison. Corrected. Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
are trying to keep the format identical where possible for comparison. On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
where possible for comparison. On that most recent occasion of intercourse, did you use a condom)? To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
To remove the bracket. Even if very interesting, the questions on drugs consumption and injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". Thanks for this suggestion for cutting – we will add it to the discussion about shortening the survey (although the concern items are very important to
injecting are much much too long and look very similar sometimes. I would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". will add it to the discussion about shortening the survey (although the concern items are very important to
would suggest focusing on drug consumption during sex and to suppress "CONCERN ABOUT DRUGS AND ALCOHOL". shortening the survey (although the concern items are very important to
suppress "CONCERN ABOUT DRUGS AND ALCOHOL". concern items are very important to
halana all the halandar terres
balance all the behavior items).
"DID YOU KNOW THIS ABOUT HIV AND STIS": questions should be This section has been relocated.
closer to HIV/STI module. It seems curious right after drugs.
RECENCY SCALE - It is maybe a detail (or a question of language), but Yes, technically you are of course right, but
the following categories are not mutually exclusive (each category we have user-tested the response set and
contains the previous one(s)). users behave as we intend (they pick the
closest period to the event).
UNITED KINGDOM
- In those who have used PrEP in the past but are no longer using it Not expanded due to length constraints.
when having condomless sex, could you specifically ask about reasons
for no longer using PrEP?
- In those who say they are currently using PrEP, might you ask about
whether they previously used condoms and have switched to PrEP
instead, or whether they had condomless sex before using PrEP?
In the section "About combining drugs and substances" there is a Made conditional on sex in last year.
question 'In the last year how much sexinfluence of alcohol or
drugs?'. I was able to get to and answer the question even though I
had indicated earlier in the survey that I hadn't had sex for more than
five years, and there wasn't an appropriate answer for me (there isn't
a 'none' option).
In last non-steady session with multiple partners, If I tick 'yes' to Amended.
intercourse without a condom with more than one man, then the
drop down is a little confusing. If I know ONE or more of the men was
using PrEP, but didn't know if the others were, then there isn't an
using PrEP, but didn't know if the others were, then there isn't an option that allows me to say that I knew ONE or more were using PrEP but the others were NOT (or I didn't know if the others were not).

Appendix 2: Items cut from survey since 'Proposal to funder' (to end June)

The following table shows the tags for questions cut from the survey at three stages since D2.1 was first submitted at the end of April 2017 to the end of June 2017 when this report (D2.2) was first submitted.

Each dot represents a question (and response set); numbers in [square brackets] are multi-response items; int.=intercourse; rec.=recency.

	Cut post transfer online and talk aloud interviews	Cut post 1st Online Consultation	Cut post Time-trial
DEMOGRAPHICS	 parents' country of birth household [8] steady partner'HIV status [x3] 	• civil status	
MORBIDITES	WHO-5 domestic violence first partner age	general health longstanding illness health limitation	• unwanted sex rec.
BEHAVIOURS	 # asymptomatic STI test 5 yr relationship non-binary exclusivity relationship woman exclusivity relationship man exclusivity times steady anal year frequency steady condom lubricant use last multi-chemsex phone app Chlamydia partner disclosure LGV diagnosis LGV diagnosed rec. LGV partner disclosure 	• Syphilis treatment • Gonorrhoea treatment	condom at last male int. condomless int. rec
NEEDS	 reasons for sexual unhappiness [14] PrEP regimen preference STI test access efficacy knowledge of free STI testing able to pay for STI test why never tested [7] why not use known test service [5] test access efficacy knowledge of free testing able to pay for test why not A vaccinated [7] why not B vaccinated [7] why not use known A vaccine service [5] why not use known B vaccine service [5] 	PrEP intention HIV stigma [11]	unwanted sex relationship unwanted sex relationship other unwanted sex method unwanted sex method other
SERVICE PERFORMANCE	 needle exchange rec. sources of needles [x] 	• throat examine 12 mths • throat swab 12 mths	 pos test respect pos test support neg test confidential neg test respect

Appendix 3: Item analysis for questionnaire (end June 2017)

Each bullet is a question; [multi-response items]; rec.=recency; int.=intercourse; italic=write-in response; YELLOW denotes the question is NEW for EMIS-2017.

	General	Sex	Drugs	HIV PEP / PrEP	HIV test and treatment	Bacterial STIs test and treatment	Hepatitis
MORBIDITIES	• Anxiety/depression (PHQ-4) • suicidal ideation	sexual happiness	alcohol dependency [4]		Ever diagnosed with ever year diagnosed pos diagnosed pos last 12mth viral load	Syphilis diagnosed ever Syphilis diagnosed rec. Gonorrhoea diagnosed ever Gonorrhoea diagnosed rec. Chlamydia diagnosed ever Chlamydia diagnosed rec. Warts diagnosed ever Warts rec.	Hep C diagnosed ever initial Hep C rec. # of Hep C diagnoses Current Hep C status
Risk & precaution BEHAVIOURS		homosex ever age first homosex homosex rec. ever male int. age first male int. male int.rec. any steady male year # steady male int. year # mon-steady male year # non-steady male year # non-steady male int. year # non-steady condomless male int. year # non-steady condom no condom with neg PrEP of neg no condom with unknown last non-steady #	alcohol rec. tobacco rec. poppers rec. Viagra rec. sedatives rec. Illicit drug ever cannabis rec. synthetic canabinoids ecstasy pills rec. speed rec. rec, speed rec. recystal meth rec. heroin rec. heroin rec. GHB/GBL rec. ketamine rec. LSD rec. cocaine rec. rack rec. inject steroids ever/12mth inject non- steroids ever/12mth injected year what injected year what injected year sober sex rec. sedatives rec.	• tried to get PEP / before pos • ever taken PEP / before pos • # days taken PEP • tried to get PrEP • ever taken PEP	Ever received HIV test result Ever ART Treatment delay Current ART	Syphilis partner disclosure Gonorrhoea partner disclosure artner disclosure	• Hep A vaccination • Hep B vaccination

NEEDS	• Social	where sex other where met sex before HIV disclosure PrEP disclosure viral load disclosure think his HIV status did he disclose viral load did he disclose PrEP intercourse condom if receptive take ejaculate in rectum condom if insertive give ejaculate in his rectum other sex acts [10] other acts at last non-steady drugs used [17] injecting session rating female sex rec. # female intercourse year frequency condom female safe as I want	themsex rec. multi-chemsex rec. last multi-chemsex where last multi-chemsex where other years multi-chemsex drug use	• heard of PEP	• test/treat	• STI transmission	• Hepatitis
NEEDS	support [8] OR Internalised homonegativit y [7]	easy to say no condomless because no condom rec.	• drug use concern	• neard of PEP • PEP knowledge [3] • PEP access efficacy • heard of PrEP • PrEP knowledge [3]	• test/treat knowledge [7] • status certainty • know where to get test • HIV transmission knowledge [3] • why never ART [11] • other reason never ART • why stopped ART [9] • other reason stopped ART	• S11 transmission knowledge [3]	• nepatitis knowledge [5] • know where to get Hep A vac • know where to get Hep B vac
'INTER- VENTIONS'	abuse intimidated rec. abuse insults rec. abuse violence rec.	source condoms year source condoms year other source condoms typical source condoms typical other	drug professional rec. drug self-help rec. alcohol professional rec.	e ever spoken to PrEP who spoken to PrEP [5] other service spoke to PrEP spoke professional before PrEP ever prescribed PrEP <country> who prescribed PrEP [5] PrEP prescriber other</country>	ever been offered HIV tested where diagnosed pos pos test confidential pos monitoring rec. neg test rec. where last neg test neg test support	any STI test any STI test rec. symptomatic at last STI test homo disclosure at last STI test penis/vagina (routing) blood sample 12 mths urine sample 12 mths urethral swab 12 mths penis examine 12 mths penis examine 12 mths vaginal swab 12 mths	• ever offered any Hep vaccine

		where PrEP pills from [10] where PrEP pill other	 vagina examined 12 mths anal swab 12 mths anus examine 12 mths 	
DEMO-	consent understood	• sexual attraction [3]	• bought male sex rec.	
GRAPHICS	 consent old enough 	• sexual identity	# bought male sex year	
	gender identity	• outness	sold male sex rec.# sold male sex year	
	• sex at birth	 current steady 	•	
	• age	break-up rec.	education	
	 county lived in 	current steady sex # [6]	 employment 	
	 region lived in 	 male relationship duration 	 community health worker 	
	settlement size	 male relationship HIV seroconcordancy 	 CHW organisation 	
	migrant	 female relationship duration 	 CHW work type 	
	 country of birth 	 female relationship HIV seroconcordancy 		
	 length of residence 	 non-binary relationship duration 	ethnic minority	
	reasons for migration [9]	 non-binary relationship HIV 	name of ethnic group	
	 other reason for migration 	<u>seroconcordancy</u>		
			 sexiest man 	

Appendix 4: Amendments to EMIS-2017 questionnaire from first submission of D2.2 (on 30 June) to second submission on 30 August

- [1] Throughout the EMIS-2017 questionnaire, the responses "Don't know" has been changed to "I don't know" for consistency.
- [2] Additional page breaks have been added to reduce page length in the following sections:
 - [About PrEP]
 - [About sex with men]
 - [About using various substances]
 - [About other substances you may have consumed]
 - [Concern about drugs and alcohol]

[3] INTRODUCTORY PAGE

Welcome to the largest ever survey of gay men, bisexual men and other men (including trans men) who are attracted to men. It is happening across Europe.

Please take part if you are...

a man who has sex with men or a man who is attracted to other men or a man who thinks he might have sex with men in the future. You must be old enough to legally have sex in the country where you live.

What is it about?

It asks about relationships, sex life, risks and precautions, and use of health services.

How long will it take?

Most men take <u>between 15 and 25 20 to 30</u>-minutes to complete the survey. <u>Please make sure you have enough time and battery power, because you cannot come back to complete it if you log off. However, the survey is voluntary and you can stop and withdraw at anytime. None of the data you supplied will be collected if you do this. <u>Please complete this survey ONLY ONCE this year.</u></u>

Why should I take part?

Because we all want better sex with less harm. By taking part you might find out something new. Although there will be no direct benefit to you from the information you provide, it will will help health and social services to better meet the communities needs. and the information you provide will help programmes better meet our needs. It could also mean that services for gay and bisexual men are funded. Our first version of this survey (in 2010) recruited 181,000 men.

Who are is running it?

The survey is being run by Sigma Research in the UK and has been approved by the ethics committee of the London School of Hygiene & Tropical Medicine (University of London).

We are It has been developed by an international group of researchers and health workers in public health institutes, universities and non-governmental organisations working in HIV, gay health and human rights, from over 340 European countries.

The survey is funded by the European Commission Health Programme 2014-2020 to deliver evidence about the sexual health of gay men, bisexual men and other MSM across Europe. It is supported by the European Centre for Disease Prevention and Control, the European Regional Office of the World Health Organization, and many national and international gay organisations and websites.

You can get more information about the survey at www.esticom.eu

What about data protection?

We guarantee your anonymity. We will **NOT** not collect the <u>TC/</u>IP-address of your device or try to install any cookies on it. We will **not** collect any information about you that would allow anybody to identify you. This means you need to complete the survey in one session (and you cannot log out and return later). <u>Participation is voluntary and you can withdraw at any time.</u>

Where will the data go?

The anonymous data will be shared with EMIS academic and community collaborators in participating countries as soon as it is ready. Eventually it will be placed in the European Union Open Data Portal for the use of other researchers after a period of embargo.

When can I see the results?

A report of the survey regults will be produced available in after mid 2018 in different formats and languages. They can be accessed at It will be available from the project's website at www.esticom.eu.

Who are running it?

We are an international group of researchers and health workers in public health institutes, universities and nongovernmental organisations working in HIV, gay health and human rights, from over 30 European countries.

The survey is funded by the European Commission Health Programme 2014-2020 to deliver evidence about the sexual health of gay men, bisexual men and other MSM across Europe. It is supported by the European Centre for Disease Prevention and Control, the European Regional Office of the World Health Organization, and many national and international gay organisations and websites.

You can get more information about the survey at www.esticom.eu

Please complete this survey ONCE ONLY this year.

Please answer the following two questions if wish to take part.

Have you read and understood the above information? **COMPULSORY QUESTION**No
Yes

Are you old enough to legally have sex with men in the country you live in? **COMPULSORY QUESTION**

No Yes I don't know

[Exit page - No consent]

"across Europe in 2018" changed to "in mid 2018"

[Ages of Consent]

"in each country of Europe" changed to "in each country taking part in this survey"

Age and country presentation reversed (country now comes first).

"age" changed to "Minimum age"

"Israel – 16" added

"Lebanon - 18" added

[Exit page - Not old enough]

"Ufnortunately" changed to "Unfortunately"

"the results will be available across Europe in 2018" changed to "first results will be available in mid 2018"

[Firstly...]

Response to 'How old are you?' changed from write-in answer to drop-down with responses: under $14/14/ \dots /100/Over\ 100$.

[Exit page - gender identity]

"the results will be available across Europe in 2018" changed to "first results will be available in mid 2018"

[Exit page - where you live]

"This research is about men living in European countries" changed to "Unfortunately, this survey is not collecting data from the country you live in."

For Israel, "Which region do you live in?" and drop-down of 4 items, added.

For Lebanon, "Which governorate do you live in?" and drop-down of 8 items, added.

For Malta, "Which part do you live in?" changed to "Which region do you live in?" and drop-down changed from 3 to 6 items.

For Montenegro, "Which region do you live in?" and drop-down of 3 items, added.

[Exit page - countries]

"the results will be available across Europe in 2011" changed to "first results will be available in mid 2018"

www.emis-project.eu changed to www.esticom.eu

[Your sexuality]

7 item response set for "Which of the following options best describes how you think of yourself?" reverted to 5 item EMIS 2010 set (gay and homosexual merged, queer removed). Claim that 7 item set is untranslatable in some languages.

[About hepatitis C]

Response for "How many times have you picked up hepatitis C infection?" changed from "Three of more times" to "Three or more times"

[What happened during STI tests in the last 12 months]

Response "I don't have a vagina" removed from response set for "Was something inserted into your vagina vaginal swab as part of any STI test in the last 12 months?"

Response "I don't have a vagina" removed from response set for "Was something inserted into your vagina vaginal swab as part of any STI test in the last 12 months?"

Response "I don't have a vagina" removed from response set for "Has your vagina been examined as part of any STI test in the last 12 months?"

[IF LAST NON-STEADY SESSION WAS WITH ONE PARTNER OR THREESOME WITH STEADY PARTNER (2)]

For "During that session, did you engage in...", the words "for penetration" added to responses "Using sex toys" and "Sharing sex toys".

For "Which of these substances had you taken shortly before or during this session?" the response "Synthetic cannabinoids (eg. Spice, K2, herbal incense)" added.

[IF LAST NON-STEADY SESSION WAS WITH MULTIPLE PARTNERS (1)] For "Did any of them tell you they were on PrEP?", response "I don't remember" changed to "I don't know / I don't remember"

For "Did any of them tell you they had undetectable viral load?", response "I don't know" changed to "I don't know / I don't remember"

[IF LAST NON-STEADY SESSION WAS WITH MULTIPLE PARTNERS (2)]

For "During that session, with any partner did you engage in...", the words "for penetration" added to responses "Using sex toys" and "Sharing sex toys". For "Which of these substances had you taken shortly before or during this session?" the response "Synthetic cannabinoids (eg. Spice, K2, herbal incense)" added.

[Paying and being paid for sex with men]

In "When was the last time you paid a man to have sex with you. By paid we mean you gave him money, gifts or favours in return for sex" the words "you were paid" are now bold.

In "When was the last time you were paid by a man to have sex with him. By paid we mean he gave you money, gifts or favours in return for sex" the words "you paid a man" are now bold.

[A final few things about you]

The three Community Health Worker questions have been moved to the end of this page.

Appendix 5: Final EMIS-2017 questionnaire

The following survey is a full print version produced by Demographix. It includes full routing details and other items which will not be visible to respondents. Images and some aesthetic features are not included.

Please see www.EMIS2017.eu for translations of this questionnaire into other languages.

Individuals and organisations are welcome to use individual questions, question sets or whole EMIS-2017 questionnaires, on the understanding that they give due credit: Sigma Research @ London School of Hygiene & Tropical Medicine developed the EMIS-2017 questionnaire within the framework of the ESTICOM project funded by the EU Health Programme 2014-2020 under service contract 2015-71-01

EMIS 2017

(EMIS: English language version)

EMIS: European Men-who-have-sex-with-men Internet Survey 2017

Welcome to the world's largest survey of gay men, bisexual men and other men (including trans men) who are attracted to men. (EMIS2017)

Please take part if you are...

- · a man who has sex with men
- · or a man who is attracted to other men
- or a man who thinks he might have sex with men in the future.

You must be old enough to legally have sex in the country where you live.

What is it about?

It asks about relationships, sex life, risks and precautions, and use of health services.

How long will it take?

Most men take between 15 and 25 minutes to complete it. Please make sure you have enough time and battery power, because you cannot come back to complete it if you log off. However, the survey is voluntary and you can stop and withdraw at anytime. None of the data you supplied will be collected if you do this Please complete this survey ONLY ONCE this

Why should I take part?

Because we all want better sex with less harm. By taking part you might find out something new. Although there will be no direct benefit to you from the information you provide, it will help health and social services to better meet the communities needs. It could also mean that services for gay and bisexual men are funded. Our first version of this survey (in 2010)

Who is running it?

The survey is being run by Sigma Research in the UK and has been approved by the ethics committee of the London School of Hygiene & Tropical Medicine (University of London).

It has been developed with an international group of researchers and health workers in public health institutes, universities and non-governmental organisations working in HIV, gay health and human rights, from over 40 European countries

The survey is funded by the European Commission Health Programme 2014-2020 to deliver evidence about the sexual health of gay men, bisexual men and other MSM across Europe. It is supported by the European Centre for Disease Prevention and Control, and many national and international gay organisations and websites.

You can get more information about the survey at www.esticom.eu

What about data protection?

e will not collect the TC/IP-address of your device on any our device of the survey in one session and you cannot not our device will be shared with EMIS academic and community collaborators in participating countries as soon and union Open Data Portal for the use of other researchers after a period of embargo.

When can I see the results?

Results will available after mid 2018 in different formats and languages. They can be accessed at the project's website at www.esticom.eu

"mplete this survey ONCE ONLY this year.

"no following two questions if wish to take part.

"ove information?

No

C Yes

I don't know


\$\$Device used (autoanswer_device)

[Please select an answer] Android phone

Blackberry phone Blackberry Playbook tablet iPad tablet iPhone OS phone Kindle Fire tablet MacOSX desktop Nexus 10 tablet Nexus 7 tablet Nokia phone Phone Samsung Galaxy Note tablet Samsung Galaxy Tab 2 tablet Tablet UNIX desktop Windows desktop Windows phone Windows server Other \$\$Device used (raw) (autoanswer_device) \$\$Where the advertisement was placed (raw) (url_origin) ced (int-origin)

Niscolated Mithin this document Abbandis St.

Other languages. \$\$Where the advertisement was placed (url_origin) [Please select an answer] 📥 3 4 5 6 8 26 27 41



[Exit page No consent]

THIS IS AN EXIT PAGE PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU READ AND UNDERSTOOD THE ABOVE INFORMATION? IS ANY OF NO

You must confirm you have read and understood the information on the preceding page to take part in this survey. Please return to the previous page to do this.

Otherwise, thank you for your interest in EMIS, first results will be available in mid 2018. You can get more information at www.esticom.eu

[Information on country age of sexual consent for those who don't know]

each count. PAGE SHOWN WHEN ANSWER TO QUESTION ARE YOU OLD ENOUGH TO LEGALLY HAVE SEX WITH MEN IN THE COUNTRY YOU LIVE IN? IS ANY OF I DON'T KNOW The list below shows how old a male must be to legally have sex with another male in each country taking part in this survey.

Are you old enough to legally have sex with men in the country you live in?

COMPULSORY QUESTION

No

Yes

Country - Minimum age

Albania - 14 years Andorra - 16 years Austria - 14 years Belarus - 14 years Belgium - 16 years Bosnia & Herzegovina - 14 years Bulgaria - 14 years Canada - 16 years Croatia - 15 years Cyprus (Republic) - 17 years Czech Republic - 15 years Denmark - 15 years Estonia - 14 years Finland - 16 years France - 15 years Germany - 14 years Greece - 15 years Greenland - 15 years Hungary - 14 years Iceland - 15 years Ireland (Republic) - 17 years

Israel - 16 years Italy - 14 years Kosovo (UNSC1244) - 14 years Latvia - 16 years Lebanon - 18 years Liechtenstein - 14 years Lithuania - 16 years Luxembourg - 16 years Macedonia (Former Yugoslav Republic) - 14 years Malta - 18 years Moldova - 16 years Monaco - 15 years Montenegro - 14 years Netherlands - 16 years Norway - 16 years Phillipines - 15 years Poland - 15 years Portugal - 14 years Romania - 15 years Russia - 16 years San Marino - 14 years Serbia - 14 years Slovakia - 15 years Slovenia - 15 years Spain - 16 years Sweden - 15 years Switzerland - 16 years Turkey - 18 years Ukraine - 16 years United Kingdom - 16 years Vatican City - 18 years

[Exit page Not old enough]

THIS IS AN EXIT PAGE PAGE SHOWN WHEN ANSWER TO QUESTION ARE YOU OLD ENOUGH TO LEGALLY HAVE SEX WITH MEN IN THE COUNTRY YOU LIVE IN? IS ANY OF NO OR ANSWER TO QUESTION ARE YOU OLD ENOUGH TO LEGALLY HAVE SEX WITH MEN IN THE COUNTRY YOU LIVE IN? IS ANY OF NO

Unfortunately, you must be old enough to legally have sex with men in the country you live in to take part in this survey.

Thank you for your interest in EMIS, first results will be available in mid 2018. You can get more information at www.esticom.eu.

Firstly...

What is your current gender identity?

COMPULSORY QUESTION

- Man

to re MPULSO...

Man

Trans man

Woman

Trans woman

Non-binary gender

This survey is for people who identify as men (cis and trans). You are very welcome to however we will be unable to use your data.

What would you like to do?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT IS YOUR CURRENT GENDER IDENTITY? IS ANY OF WOMAN, TRANS WOMAN, NON-BINARY GENDER


Exit the survey now

Continue reading the survey

""" Ad at birth?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT IS YOUR CURRENT GENDER IDENTITY? IS ANY OF MAN, TRANS MAN COMPULSORY QUESTION

[Please select an answer] lunder 14 14 15 16 17 18



[Exit page gender identity]

THIS IS AN EXIT PAGE PAGE SHOWN WHEN ANSWER TO QUESTION THIS SURVEY IS FOR PEOPLE WHO IDENTIFY AS MEN (CIS AND TRANS). YOU ARE VERY WELCOME TO READ AND COMPLETE THE REST OF THE SURVEY HOWEVER WE WILL BE UNABLE TO USE YOUR DATA. WHAT WOULD YOU LIKE TO DO? IS ANY OF EXIT THE SURVEY NOW

Thank you for your interest in EMIS, first results will be available in mid 2018. You can get more information at www.esticom.eu

About where you live

Which country do you currently live in? (country_live_in)

Country

Logir guestous

easie select an ans, ghanistan
, Banne
Nogera

Andigua and Barbuda
Arreginin
Ammeria
Australia
yo-ahasia
yo-aha Finland France France, Overseas Departments, Territories and Collectivities Gabon Gambia Georgia Germany

Ghana

Greece Greenland Grenada Guatemala Guinea Guinea-Bissau Guyana Haiti Honduras Hungary Iceland India Indonesia Iran (Republic.)

CORPC 3/3CB Iraq Ireland (Republic) Israel Philippines Poland Portugal Puerto Rico Oatar Romania Russia (Russian Federation) Rwanda

Saint Kitts and Nevis Saint Lucia Saint Vincent and the Grenadines Samoa San Marino Sao Tome and Principe Saudi Arabia Senegal Serbia Seychelles Sierra Leone Singapore Slovakia Slovenia non .
alia
th Africa
sin
i Lanka
udan
suriname
Swaziland
Sweden
Switzerland
Syria
Taiwan
Tajikistan
"anzania
"land
"leste

*bago

very welcome tr Solomon Islands Somalia

Unfortunately this survey is not collecting data from the country you live in. You are very welcome to read and complete the rest of

QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN? IS ANY OF AFGHANISTAN, ALGERIA, ANGOLA, ANTIGUA AND BARBUDA, ARGENTINA ARMENIA, AUSTRALIA, AZERBAIJAN, BAHAMAS, BAHRAIN, BANGLADESH, BARBADOS, BELIZE, BENIN, BHUTAN, BOLIVIA, BOTSWANA, BRAZIL, BRUNEI, BURKINA FASO, BURUNDI, CAMBODIA, CAMEROON, CAPE VERDE, CENTRAL AFRICAN REPUBLIC, CHAD, CHILE, CHINA, COLOMBIA, COMOROS, CONGO - KINSHASA, CONGO - BRAZZAVILLE, COSTA RICA, CUBA, DJIBOUTI, DOMINICA, DOMINICAN REPUBLIC, ECUADOR, EGYPT, EL SALVADOR, EQUATORIAL GUINEA, ERITREA, ETHIOPIA, FIJI, GABON, GAMBIA, GEORGIA, GHANA, GRENADA, GUATEMALA, GUINEA, GUINEA-BISSAU, GUYANA, HAITI, HONDURAS, INDIA, INDONESIA, IRAN, IRAQ, IVORY COAST, JAMAICA, JAPAN, JORDAN, KAZAKHSTAN, KENYA, KIRIBATI, KOREA, NORTH, KOREA, SOUTH, KUWAIT, KYRGYZSTAN, LAOS, LESOTHO, LIBERIA, LIBYA, MADAGASCAR, MALAWI, MALAYSIA, MALDIVES, MALI, MARSHALL ISLANDS, MAURITANIA, MAURITUS, MEXICO, MICRONESIA, MONGOLIA, MOROCCO, MOZAMBIQUE, MYANMAR, NAMIBIA, NAURU, NEPAL, NEW ZEALAND, NICARAGUA, NIGER, NIGERIA, OMAN, PAKISTAN, PALAU, PALESTINE, PANAMA, PAPUA NEW GUINEA, PARAGUAY, PERU, PUERTO RICO, QATAR, RWANDA, SAINT KITTS AND NEVIS, SAINT LUCIA, SAINT VINCENT AND THE GRENADINES, SAMOA, SAO TOME AND PRINCIPE, SAUDI ARABIA, SENEGAL, SEYCHELLES, SIERRA LEONE, SINGAPORE, SOLOMON ISLANDS, SOMALIA, SOUTH AFRICA, SRI LANKA, SUDAN, SURINAME, SWAZILAND, SYRIA, TAIWAN, TAJIKISTAN, TANZANIA, THAILAND, TIMOR-LESTE, TOGO, TONGA, TRINIDAD AND TOBAGO, TUNISIA, TURKMENISTAN, TUVALU, UGANDA, UNITED ARAB EMIRATES, UNITED STATES OF AMERICA, URUGUAY, UZBEKISTAN, VANUATU, VENEZUELA, VIETNAM, WESTERN SAHARA, YEMEN, ZAMBIA, ZIMBABWE **COMPULSORY QUESTION**

Exit the survey now

Continue reading the survey

Which county do you live in?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN? IS ANY OF ALBANIA

[Please select an answer]	۵
Berat	
Dibër	
Durrës	

Elbasan Fier Gjirokastër Korçë Kukës Lezhë Shkodër Tirana Vlorë What are the first two digits of your home post-code? QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN? IS ANY OF AUSTRIA See how sale tights stated within this document (Appendix 5).

The stated within this document (Appendix 5). [Please select an answer] • 10XX 11XX 12XX 13XX 14XX 15XX 20XX 21XX 22XX 23XX 24XX 25XX 26XX 27XX 28XX 29XX 30XX 31XX 32XX 33XX 34XX 35XX 36XX 37XX 38XX 39XX 40XX 41XX 42XX 43XX 44XX 45XX 46XX 47XX 48XX 49XX 50XX 51XX 52XX 53XX 54XX 55XX 56XX 57XX 60XX 61XX 62XX 63XX 64XX 65XX 66XX 67XX 68XX 69XX 70XX 71XX 72XX 73XX 74XX 75XX 80XX 81XX 82XX 83XX 84XX 85XX 86XX

87XX

Monmouthshire Neath Port Talbot Newport Pembrokeshire Powys Rhondda, Cynon, Taff Swansea The Vale of Glamorgan Torfaen Wrexham

Which Territory or Crown Dependency do you live in?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN? IS ANY OF UK, BRITISH OVERSEAS TERRITORIES AND CROWN DEPENDENCIES



How would you describe the place you live in?

[Please select an answer] A very big city or town (a million or more people) A big city or town (500,000-999,999 people) A medium-sized city or town (100,000-499,999 people) A small city or town (10,000-99,999 people) A village / the countryside (less than 10,000 people)

[Exit page countries]

THIS IS AN EXIT PAGE PAGE SHOWN WHEN ANSWER TO QUESTION UNFORTUNATELY THIS SURVEY IS NOT COLLECTING DATA FROM THE COUNTRY YOU LIVE IN. YOU ARE VERY WELCOME TO READ AND COMPLETE THE REST OF THE SURVEY, HOWEVER WE WILL BE UNABLE TO USE YOUR DATA. WHAT WOULD YOU LIKE TO DO? IS ANY OF EXIT THE SURVEY NOW

Thank you for your interest in EMIS, first results will be available in mid 2018. You can get more information at www.esticom.eu

Pinfor. The sinon of the solution of the solu Your country of birth Were you born in **? ** IN QUESTION IS REPLACED WITH ANSWER TO QUESTION 'WHICH COUNTRY DO YOU CURRENTLY LIVE IN?' No Yes Which country were you born in? (If it does not exist anymore, please select the country that best applies.) (country_born_in) QUESTION SHOWN WHEN ANSWER TO QUESTION WERE YOU BORN IN **? IS ANY OF NO [Please select an answer] Afghanistan Albania Algeria Andorra Angola Antigua and Barbuda Argentina Armenia Australia Austria Azerbaijan Bahamas Bahrain Bangladesh

Barbados

Belarus Belgium Belize Benin Bhutan Bolivia Bosnia and Herzegovina Botswana Brazil Brunei Bulgaria Burkina Faso Burundi Cambodia Cameroon Canada Cape Verde 153 Commission of the sectivities of the sectivities of the section of the sectio Central African Republic Chad Chile China Colombia Comoros Congo - Kinshasa Congo - Brazzaville Costa Rica Croatia Cuba Cyprus Czech Republic Denmark Djibouti Dominica Dominican Republic Ecuador Egypt El Salvador **Equatorial Guinea** Eritrea Estonia Ethiopia Fiji Finland France France, Overseas Departments, Territories and Collectivities Gabon Gambia Georgia Germany Ghana Greece Greenland Grenada Guatemala Guinea Guinea-Bissau Guyana Haiti Honduras Hungary Iceland India Indonesia Iran Iraq Ireland (Republic of) Israel Italy Ivory Coast Jamaica Japan Jordan Kazakhstan Kenya Kiribati Korea, North Korea, South Kosovo Kuwait Kyrgyzstan laos Latvia Lebanon

Lesotho Liberia Libya Liechtenstein Lithuania Luxembourg Macedonia (Former Yugoslav Republic of) Madagascar Malawi Malaysia Maldives Mali all Iss.
Ranka
rouse
rou Malta Marshall Islands Mauritania Taiwan Tajikistan Tanzania Thailand Timor-Leste Togo Tonga

Trinidad and Tobago

Tunisia Turkey Turkish Republic of Northern Cyprus Turkmenistan Tuvalu Uganda Ukraine United Arab Emirates UK, England UK, Northern Ireland UK, Scotland UK, Wales UK, British Overseas Territories and Crown Dependencies United States of America Uruguay Uzbekistan Vanuatu Vatican City Venezuela Vietnam Western Sahara Yemen 7ambia Zimbabwe

How many years have you been living in **?

QUESTION SHOWN WHEN ANSWER TO QUESTION WERE YOU BORN IN **? IS ANY OF NO

PINING IN **.

TO DESIGN WHICH CO.

STANDARD STA ** IN QUESTION IS REPLACED WITH ANSWER TO QUESTION 'WHICH COUNTRY DO YOU CURRENTLY LIVE IN?' [Please select an answer] Less than 1 year 2 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45

	52 53 54			
	55 56 57			
	58 59 60 61			
	62 63 64			
	65 66 67	\Diamond		
	68 69 70	63		
	71 72 73			
	75 76 77	See See		
	78 79 80	44		
	81 82 83 84			
	85 86 87			
	88 89 90			
	91 92 93 94			· Of E ha
	95 96 97			
	98 99 100			
	101 102 103 104			10nn 40n
	105 106 107			all of the second
	108 109 110		▼	
W (/hy d	did you come to **'	?	IESTION WERE YOU BORN N ** 25 ANY OF NO WIR TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE N?* //bisexual/trans viii //bisexual/trans viii //bisexual/trans viiii //bisexual/trans viiii //bisexual/trans
QI **	JESTIO IN QUE	ON SHOWN WHEN ANSWER TO	O QU	ESTION WERE YOU BORN IN **? IS ANY OF NO VER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN?'
	To	was brought as a child o study o work	1	942 +5)
	To	o be with a partner of live more openly as one seek asylum	gay	/bisexual/trans
	□ I o	came as a refugee was brought against n ther answer	ıy ı	vill
P	lease	e describe your othe	er a	INSWER JESTION WHY DID YOU COME TO **? (TICK AS MANY AS APPLY) IS ANY OF OTHER ANSWER
- WI	20110	TOTOTHE WILL ANSWER I	J WI	20.00 MIL DO 100 MIL TO 11 (HOL AG MART AG AFFET) IS ART OF OTHER MIGHER

Your sexuality
Who are you sexually attracted to? (Tick as many as apply)
☐ Men ☐ Women
Non-binary people (who identify as neither men nor women, or as both)I'm not attracted to anyone
Which of the following options best describes how you think of yourself?
C Gay or Homosexual
Straight or heterosexual
C Any other term
C I don't usually use a term
Thinking about all the people who know you (including family, friends and work or study collegues), what proportion know that you are attracted to men?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHO ARE YOU SEXUALLY ATTRACTED TO?(TICK AS MANY AS APPLY) IS ANY OF MEN
C All or almost all
C More than half C Less than half
C Few
C More than half C Less than half C Few C None

How you feel about your sex life

Do you disagree or agree with the following statements?

	Strongly disagree	Disagree	Neither / not sure	Agree	Strongly agree
The sex I have is always as safe as I want it to be.	. O	70	0	0	0
I find it easy to say 'no' to sex I don't want.	0 0	61/1	0	0	C

On a scale of 1 to 10 (where 1 is the most unhappy and 10 is the most happy), how happy are you with your sex life?



Relationships

Do you currently have a 'steady partner', that is a lover or spouse that means you are not 'single'?


- No, I am single
- Yes, I have a steady partner
- C I'm not sure / it's complicated

When did your most recent steady relationship break-up?

Dpy), how ha QUESTION SHOWN WHEN ANSWER TO QUESTION DO YOU CURRENTLY HAVE A 'STEADY PARTNER', THAT IS A LOVER OR SPOUSE THAT MEANS YOU ARE NOT 'SINGLE'? IS ANY OF NO, I AM SINGLE

[Please select an answer] I've never had a steady relationship Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months

Within the last 5 years More than 5 years ago
Are you currently in a steady relationship with? (Tick as many as apply)
QUESTION SHOWN WHEN ANSWER TO QUESTION DO YOU CURRENTLY HAVE A 'STEADY PARTNER', THAT IS A LOVER OR SPOUSE THAT MEANS YOU ARE NOT 'SINGLE'? IS ANY OF YES, I HAVE A STEADY PARTNER One man More than one man One non-binary person More than one non-binary person One woman More than one woman How many years have you been in a steady relationship with this man? (If you have more than one steady relationship with a man, please tell us about the longest)
[Please select an answer] Less than 1 year 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 20 21 22 23 24 25 more than 25 years Does your steady male partner have HIV? (If you have more than one steady relationship with a man, please tell us about the longest)
22 23 24 25 more than 25 years Does your steady male partner have HIV? (If you have more than one steady relationship with a man, please tell us about the longest)
QUESTION SHOWN WHEN ANSWER TO QUESTION ARE YOU CURRENTLY IN A STEADY RELATIONSHIP WITH? (TICK AS MANY AS APPLY) IS ANY OF ONE MAN, MORE THAN ONE MAN No, he is HIV negative Yes, and he has an undetectable viral load Yes, and his viral load is detectable Yes, and I do not know what his viral load is I don't know whether he has HIV or not
Your relationship with a woman / women
How many years have you been in a steady relationship with this woman ? (If you have more than one steady relationship with a woman, please tell us about the longest)



Does your steady female partner have HIV?

(If you have more than one steady relationship with a woman, please tell us about the longest)

QUESTION SHOWN WHEN ANSWER TO QUESTION ARE YOU CURRENTLY IN A STEADY RELATIONSHIP WITH...? (TICK AS MANY AS APPLY) IS ANY OF ONE WOMAN, MORE THAN ONE WOMAN


- No, she is HIV negative
- C Yes, and she has an undetectable viral load
- C Yes, and her viral load is detectable
- C Yes, and I do not know what her viral load is
- C I don't know whether she has HIV or not

Your relationship with a non-binary person / people

PAGE SHOWN WHEN ANSWER TO QUESTION ARE YOU CURRENTLY IN A STEADY RELATIONSHIP WITH...? (TICK AS MANY AS APPLY) IS ANY OF ONE NON-BINARY PERSON, MORE THAN ONE NON-BINARY PERSON

How many years have you been in a steady relationship with this non-binary person?

(If you have more than one steady relationship with a non-binary person, please tell us about the longest)



Does your steady non-binary partner have HIV?

(If you have more than one steady relationship with a non-binary person, please tell us about the longest)

ationship with a non-bin.

NARY PERSON, MORE TH QUESTION SHOWN WHEN ANSWER TO QUESTION ARE YOU CURRENTLY IN A STEADY RELATIONSHIP WITH...? (TICK AS MANY AS APPLY) IS ANY OF ONE NON-BINARY ONE NON-BINARY PERSON

- No, they are HIV negative
- Yes, and they have an undetectable viral load
- Yes, and their viral load is detectable
- Yes, and I do not know what their viral load is
- I don't know whether they have HIV or not

Did you know this about HIV and HIV testing

When was the last time you saw or heard any information about HIV or STIs specifically for men who have sex with men?									
[Please select an answer] Never Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months									
Within the last 5 years More than 5 years ago									
The following four statements are all TRUE. D	id you know t	this already?							
	I knew this already	I wasn't sure about this	I didn't know this already	I don't understand this	I do not believe this				
AIDS is caused by a virus called HIV.	0	0	0	0	0				
You cannot be confident about whether someone has HIV or not from their appearance.	0	0	0	0	C				
There is a medical test that can show whether or not you have HIV.	0	0	0	0	0				
If someone becomes infected with HIV it may take several weeks before it can be detected in a test.	0	0	0	0	С				
.0.7									
Did you know this about HIV t	reatment								
The following three statements are all TRUE.	.0,								
	I knew this	I wasn't sure	I didn't know	I don't	I do not believe				
	already	about this	this already	understand this	this				
There is currently no cure for HIV infection.	S C	Lix,	0	0	0				
HIV infection can be controlled with medicines so that its impact on health is much less.	0	O, Pin	0	0	0				
A person with HIV who is on effective treatment (called 'undetectable viral load') cannot pass their virus to someone else during sex.	0	THINING SE	This	0	С				
SEA.									
			9/	46					
Testing for HIV Have you ever received an HIV test result?			C	200					
© No				15 11					
© Yes				0, 1	7 0.				
Have you ever been diagnosed with HIV?				0,					
Testing for HIV Have you ever received an HIV test result? No Yes Have you ever been diagnosed with HIV? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER RECEIVED AN HIV TEST RESULT? IS ANY OF YES No Yes Have you ever been offered an HIV test by a health service? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER RECEIVED AN HIV TEST RESULT? IS ANY OF NO No Yes I don't know									
Have you ever been offered an HIV test by a	health service?	?			969	5)			
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER NO Yes I don't know	RECEIVED AN HIV TE	EST RESULT? IS ANY OF	F NO		90	S.			
Do you know where you could get an HIV tes	Do you know where you could get an HIV test?								
€ No	QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER RECEIVED AN HIV TEST RESULT? IS ANY OF NO								
○ Yes									

Not sure

Being diagnosed with HIV PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH HIV? IS ANY OF YES In which year were you initially diagnosed HIV positive? [Please select an answer] V DIAGNOSED HIV POST Vere you diagnosed with HIV within the last 12 months? UESTION SHOWN WHEN ANSWER TO QUESTION IN WHICH YEAR WERE YOU INITIALLY DIAGNOSED HIV POSITIVE? IS ANY OF 2016 No Yes Where were you initially diagnosed with HIV? General Practitioner / family doctor A doctor in private practice At a hospital or clinic as an out-patient, or an Institute At a hospital as an in-patient At a community health service or drop-in (not in a hospital or clinic) At a blood bank, while donating blood I used a self-sampling kit (I took my own sample then sent it away to be analysed) I used a self-setsting kit (I found out the result on the spot) In a barypub, club or sauna Mobile testing unit Elsewhere When you were diagnosed HIV positive, how satisfied were you with the support and information you received? I did not receive support or information

Monitoring your HIV infection

PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH HIV? IS ANY OF YES

When did you last see a health professional for monitoring your HIV infection? (Please say when you last did this, even if it was not typical for you)

C Never C Within the last 24 hours C Within the last 7 days C Within the last 4 weeks C Within the last 6 months C Within the last 12 months C Within the last 5 years C More than 5 years ago
Have you ever taken antiretroviral treatment (sometimes known as ART or HAART) for your HIV infection?
C No C Yes C I don't know
How much time was there between your HIV diagnosis and you starting treatment?
Years Months Why have you never taken antiretroviral treatment for your HIV infection? (Tick as many as apply)
ANSWER ROTATION I was diagnosed very recently My doctor says I don't need antiretroviral treatment at the moment To avoid the side-effects I feel it is not necessary I'm afraid people will notice I don't want to be reminded about HIV every day I don't have health insurance cover I can't afford the treatment I don't know where to get the treatment Other reason. For what other reason have you never taken antiretroviral treatment?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHY HAVE YOU NEVER TAKEN ANTIRETROVIRAL TREATMENT FOR YOUR HIV INFECTION? (TICK AS MANY AS APPLY) IS ANY OF OTHER REASON.
Are you currently taking antiretroviral treatment?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN ANTIRETROVIRAL TREATMENT (SOMETIMES KNOWN AS ART OR HAART) FOR YOUR HIV INFECTION? IS ANY OF YES C No C Yes
Why have you stopped taking antiretroviral treatment? (Tick as many as apply)
Are you currently taking antiretroviral treatment? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN ANTIRETROVIRAL TREATMENT (SOMETIMES KNOWN AS ART OR HAART) FOR YOUR HIV INFECTION? IS ANY OF YES No Yes Why have you stopped taking antiretroviral treatment? (Tick as many as apply) QUESTION SHOWN WHEN ANSWER TO QUESTION ARE YOU CURRENTLY TAKING ANTIRETROVIRAL TREATMENT? IS ANY OF NO ANSWER ROTATION My doctor says I don't need antiretroviral treatment at the moment To avoid the side-effects I feel it is not necessary I'm afraid people will notice I don't want to be reminded about HIV every day I no longer have health insurance cover I can no longer afford the treatment Other reason For what other reason have you stopped taking antiretroviral treatment? QUESTION SHOWN WHEN ANSWER TO QUESTION WHY HAVE YOU STOPPED TAKING ANTIRETROVIRAL TREATMENT? (TICK AS MANY AS APPLY) IS ANY OF OTHER REASON
For what other reason have you stopped taking antiretroviral treatment?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHY HAVE YOU STOPPED TAKING ANTIRETROVIRAL TREATMENT? (TICK AS MANY AS APPLY) IS ANY OF OTHER REASON
What was the result of your viral load test the last time you had your HIV infection monitored?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST SEE A HEALTH PROFESSIONAL FOR MONITORING YOUR HIV INFECTION? (PLEASE SAY WHEN YOU LAST DID THIS, EVEN IF
IT WAS NOT TYPICAL FOR YOU) IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 5 YEARS, MORE THAN 5 YEARS AGO
© Undetectable
© Detectable
© I was told but I don't remember the result
It was measured but I was not told the result
C It was not measured
© I don't remember
I don't understand the question

About your last HIV test

PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH HIV? IS ANY OF NO

When did you last have an HIV test?

- C Within the last 24 hours
- Within the last 7 days
- C Within the last 4 weeks
- Within the last 6 months
- C Within the last 12 months
- Within the last 5 years
- More than 5 years ago

Where did you go for your last HIV test?

- C General Practitioner / family doctor
- A doctor in private practice
- C At a hospital or clinic as an out-patient, or an Institute
- At a hospital as an in-patient
- C At a community health service or drop-in (not in a hospital or clinic)
- At a blood bank, while donating blood
- I used a self-sampling kit (I took my own sample then sent it away to be analysed)
- © I used a self-testing kit (I found out the result on the spot)
- In a bar/pub, club or sauna
- Mobile testing unit
- Elsewhere

- I did not receive any support or information
- Very satisfied
- Satisfied
- Dissatisfied
- Very dissatisfied
- © I don't remember / I did not think about it

About PEP (post-exposure prophylaxis) for HIV

- No
- Yes
- Not sure

Mobile testing unitElsewhere	.0/	9/,			
The last time you tested for HIV, how satisfie	ed were you wit	th the support a	and information	on you received	d ?
 I did not receive any support or information Very satisfied Satisfied Dissatisfied Very dissatisfied I don't remember / I did not think about it 		PLOSTIC	ihis %		
About PEP (post-exposure pro	ophylaxis)	for HIV	79;	242	
Have you heard of PEP ?			· C	. 70	
C No C Yes C Not sure				10/1/	7
The following three statements are all TRUE.	Did you know	this already?		0	700
	I knew this already	I wasn't sure about this	I didn't know this already	I don't understand this	I do not believe this
Post -exposure prophylaxis (PEP) attempts to stop HIV infection taking place after a person is exposed to the virus (for example by having intercourse without a condom).	С	С	О	С	GUT T
PEP is a one month course of anti-HIV drugs.	0	0	0	0	0
PEP should be started as soon as possible after exposure, preferably within hours.	0	0	О	С	0

Have you ever tried to get PEP (even if you did not take it)?

QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH HIV? IS ANY OF NO OR ANSWER TO QUESTION HAVE YOU EVER RECEIVED AN HIV TEST RESULT? IS

ANY OF NO					
C Yes					
Have you ever taken PEP?					
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER ONO, I could not get it No, I had the opportunity but decided not to to Yes, I've taken one course of pills Yes, I've taken more than one course of pills I don't know		EVEN IF YOU DID NOT TA	AKE IT)? IS ANY OF YE	S	
Before you were diagnosed with HIV, had you	ever tried to	get PEP (even if	you did not tak	e it)?	
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER B	BEEN DIAGNOSED W	ITH HIV? IS ANY OF YES			
C No C Yes					
Before you were diagnosed with HIV, had you	ever taken PE	P?			
QUESTION SHOWN WHEN ANSWER TO QUESTION BEFORE YOU WER O No, I could not get it No, I had the opportunity but decided not to to Yes, I've taken one course of pills Yes, I've taken more than one course of pills I don't know For how many days did you take PEP? (If you	ake it				
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TANSWER TO QUESTION BEFORE YOU WERE DIAGNOSED WITH HIV, OF PILLS	AKEN PEP? IS ANY	OF YES, I'VE TAKEN ON	E COURSE OF PILLS, Y	'ES, I'VE TAKEN MORE	THAN ONE COURSE OF PILLS OR
Days 0	Š				
	- Sx				
PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN OF NO How confident are you that you could get PEP Very confident Quite confident A little confident Not at all confident I don't know	6	1/1/2	This		
About PrEP (pre-exposure pro	phylaxis)	for HIV	9/100	The things	
Have you heard of PrEP ? No Yes Not sure				in other	700
The following three statements are all TRUE. $oldsymbol{ extsf{D}}$	id you know	this already?		(0)	100
	I knew this already	I wasn't sure about this	I didn't know this already	I don't understand this	I do not believe
Pre -Exposure prophylaxis (PrEP) involves someone who does not have HIV taking pills before as well as after sex to prevent them getting HIV.	О	С	С	С	2000
PrEP can be taken as a single daily pill if someone does not know in advance when they will have sex.	0	С	0	О	0
If someone knows in advance when they will have sex, PrEP needs to be taken as a double dose approximately 24 hours before sex and then at both 24 and 48 hours after the double dose.	0	С	С	С	O

Has anyone at a health service in ** ever spoken to you personally about PrEP?
** IN QUESTION IS REPLACED WITH ANSWER TO QUESTION 'WHICH COUNTRY DO YOU CURRENTLY LIVE IN?'
O No
© Yes © I don't know
2 don't know
Which health service has spoken to you about PrEP? (Tick as many as apply)
QUESTION SHOWN WHEN ANSWER TO QUESTION HAS ANYONE AT A HEALTH SERVICE IN ** EVER SPOKEN TO YOU PERSONALLY ABOUT PREP? IS ANY OF YES
General Practitioner / family doctor
A doctor in private practice At a hospital or clinic as an out-patient, or an Institute
At a community service or drop-in (that is not in a hospital or clinic)
Cother answer
Please describe your other answer.
QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH HEALTH SERVICE HAS SPOKEN TO YOU ABOUT PREP? (TICK AS MANY AS APPLY) IS ANY OF OTHER ANSWER
<u> </u>
[About PrEP (pre-exposure prophylaxis) for HIV]
Have you ever tried to get PrEP? No Yes Have you ever taken PrEP? No Yes, on a daily basis and I'm still taking it Yes, on a daily basis but I'm no longer taking it Yes, when I have needed it but not daily I don't know Did you speak to a healthcare professional about PrEP before using it?
Have you ever tried to get PrEP?
C No
C Yes
Have you ever taken PrEP?
C No
C Yes, on a daily basis and I'm still taking it
C Yes, on a daily basis but I'm no longer taking it
C Yes, when I have needed it but not daily C I don't know
1 don't know
Did you speak to a healthcare professional about PrEP before using it?
CHECTION CHOMANIAN IN ANCHED TO CHECTION HAVE VOLLEWED TAKEN DEEDS IS ANY OF VES ON A DAILY DAGIS AND BIM CTILL TAKING IT VES ON A DAILY DAGIS BUT BIM NO LONGED
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN PREP? IS ANY OF YES, ON A DAILY BASIS AND I'M STILL TAKING IT, YES, ON A DAILY BASIS BUT I'M NO LONGER TAKING IT, YES, WHEN I HAVE NEEDED IT BUT NOT DAILY
○ No
C Yes
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN PREP? IS ANY OF YES, ON A DAILY BASIS AND I'M STILL TAKING IT, YES, ON A DAILY BASIS BUT I'M NO LONGER TAKING IT, YES, WHEN I HAVE NEEDED IT BUT NOT DAILY No Yes Have you ever received a medical prescription in ** for PrEP?
mave you ever received a medical prescription in * * for Filer:
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN PREP? IS ANY OF YES, ON A DAILY BASIS AND I'M STILL TAKING IT, YES, ON A DAILY BASIS BUT I'M NO LONGER TAKING IT, YES, WHEN I HAVE NEEDED IT BUT NOT DAILY
** IN QUESTION IS REPLACED WITH ANSWER TO QUESTION 'WHICH COUNTRY DO YOU CURRENTLY LIVE IN?'
O No
C Yes
Where have you had a prescription for PrEP from?
(Tick as many as apply)
(A) (A)
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER RECEIVED A MEDICAL PRESCRIPTION IN ** FOR PREP? IS ANY OF YES General Practitioner / family doctor
☐ A doctor in private practice
☐ At a hospital or clinic as an out-patient, or an Institute
☐ At a community health service or drop-in (not in a hospital or clinic)
□ Other answer
Please describe your other answer
QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE HAVE YOU HAD A PRESCRIPTION FOR PREP FROM? (TICK AS MANY AS APPLY) IS ANY OF OTHER ANSWER
Have you ever received a medical prescription in ** for PrEP? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN PREP? IS ANY OF YES, ON A DAILY BASIS AND I'M STILL TAKING IT, YES, ON A DAILY BASIS BUT I'M NO LONGER TAKING IT, YES, WHEN I HAVE NEEDED IT BUT NOT DAILY "IN QUESTION IS REPLACED WITH ANSWER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN? "No "Yes Where have you had a prescription for PrEP from? (Tick as many as apply) QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER RECEIVED A MEDICAL PRESCRIPTION IN "FOR PREP? IS ANY OF YES General Practitioner / family doctor A doctor in private practice At a hospital or clinic as an out-patient, or an Institute At a community health service or drop-in (not in a hospital or clinic) Other answer Please describe your other answer QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE HAVE YOU HAD A PRESCRIPTION FOR PREP FROM? (TICK AS MANY AS APPLY) IS ANY OF OTHER ANSWER
Where have you got your PrEP pills from?
(Tick as many as apply)?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN PREP? IS ANY OF YES, ON A DAILY BASIS AND I'M STILL TAKING IT, YES, ON A DAILY BASIS BUT I'M NO LONGER
TAKING IT, YES, WHEN I HAVE NEEDED IT BUT NOT DAILY
As a participant in a research study
General Practitioner / family doctor

Please note: Taking PrEP just before and after sex has been shown to be protective in anal but not vaginal intercourse.

☐ A doctor in private practice ☐ At a hospital, clinic or Institute ☐ At a community health service or drop-in (not ☐ From an online pharmacy	in a hospital or c	linic)						
☐ From a physical pharmacy (not online) ☐ I used PEP pills as PrEP ☐ I used someone else's anti-retroviral therapy (ART) pills as PrEP ☐ Other answer								
Please describe your other answer								
QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE HAVE YOU	OU GOT YOUR PREP P	ILLS FROM? (TICK AS I	MANY AS APPLY)? IS	ANY OF OTHER ANSWI	≣R			
If PrEP was available and affordable to you, h	ow likely would	vou he to use it	-7					
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER ANY OF NO Very unlikely Quite unlikely Not sure Quite likely Very likely	•	•		QUESTION HAVE YOU E	VER BEEN DIAGNOSED WITH I	HIV? IS		
About viral hepatitis								
The following statements are all TRUE. Did yo	ou know this al	ready?						
	I knew this already	I wasn't sure about this	I didn't know this already	I don't understand this	I do not believe this			
'Hepatitis' is an inflammation of the liver.	- 6x	0	0	0	0			
Most hepatitis is caused by viruses.	100x	o	0	0	C			
There are several types of hepatitis viruses, named after the letters of the alphabet.	S. S.		С	0	0			
Vaccines exist for both hepatitis A and hepatitis B.	0 0	O. Oh	О	C	0			
Doctors recommend men-who-have-sex-with- men are vaccinated against both hepatitis A and hepatitis B viruses.	0	SK.	K;	0	С			
			200					
About viral hepatitis vaccinati	on		9:	2/2				
Have you ever been offered any hepatitis vac	cination by a he	alth service?	00	70.				
© No			0	15 7/				
C Yes I don't know				Ox, 1.	7.			
Have you been vaccinated against hepatitis A	?			'?o.	100			
 No, because I've had hepatitis A (and am now No, and I don't know if I'm immune Yes, and I completed the course Yes, but I did not complete the course I don't know 	naturally immune)			YES, BUT I DID NOT COMPLE	5,		
Do you know where you could get vaccinated	against hepatit	is A?			90	•		
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU BEEN COURSE, I DON'T KNOW No Yes Not sure	N VACCINATED AGAINS	ST HEPATITIS A? IS AN'	Y OF NO, AND I DON'	T KNOW IF I'M IMMUNE,	YES, BUT I DID NOT COMPLE	TE THE		
Have you been vaccinated against hepatitis B	?							

 $\hfill \square$ No, because I've had hepatitis B (and am now naturally immune) $\hfill \square$ No, and I don't know if I'm immune

 No, I have chronic hepatitis B infection Yes, and I completed the course Yes, but I did not complete the course Yes, but I did not respond to the vaccinations I don't know
Do you know where you could get vaccinated against hepatitis B?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU BEEN VACCINATED AGAINST HEPATITIS B? IS ANY OF NO, AND I DON'T KNOW IF I'M IMMUNE, YES, BUT I DID NOT COMPLETE THE COURSE, YES, BUT I DID NOT RESPOND TO THE VACCINATIONS, I DON'T KNOW No Yes Not sure
• Not Suite
, <i>\(\beta \)</i> ,
About hepatitis C
There is no vaccine against hepatitis C.
Have you ever been diagnosed with hepatitis C?
C No C Yes C I don't know
When were you FIRST diagnosed with hepatitis C?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH HEPATITIS C? IS ANY OF YES Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months Within the last 5 years More than 5 years ago
How many times have you picked up hepatitis C infection?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH HEPATITIS C? IS ANY OF YES C Once C Twice
C Three or more times
C Once C Twice C Three or more times What is your current hepatitis C status?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH HEPATITIS C? IS ANY OF YES
© I've cleared it spontaneously without treatment
C I still have it
C I don't know
What is your current hepatitis C status? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH HEPATITIS C? IS ANY OF YES. I've cleared it spontaneously without treatment I've cleared it with treatment I still have it I don't know Testing for other sexually transmitted infections Have you ever had a test for sexually transmitted infections (STIs) other than HIV? No Yes I don't know When did you last have a test for STIs other than HIV? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER HAD A TEST FOR SEXUALLY TRANSMITTED INFECTIONS (STIS) OTHER THAN HIV? IS ANY OF YES Within the last 24 hours Within the last 7 days Within the last 6 months Within the last 12 months Within the last 5 years Within the last 5 years Within 1 be 7 years ago
Have you ever had a test for sexually transmitted infections (STIs) other than HIV?
C No C Yes C I don't know
When did you last have a test for STIs other than HIV?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER HAD A TEST FOR SEXUALLY TRANSMITTED INFECTIONS (STIS) OTHER THAN HIV? IS ANY OF YES Within the last 24 hours
© Within the last 7 days © Within the last 4 weeks © Within the last 6 months
 Within the last 12 months Within the last 5 years More than 5 years ago
Did you have any symptoms on that occasion?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST HAVE A TEST FOR STIS OTHER THAN HIV? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS No
C Yes

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST HAVE A TEST FOR STIS OTHER THAN HIV? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS Yes, they definitely knew Yes, they probably knew No, they did not know I have sex with men I don't know whether they knew or not What happened during STI tests in the last 12 months PAGE SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST HAVE A TEST FOR STIS OTHER THAN HIV? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS So we can ask appropriate questions about STI tests, and because people's bodies differ, do you have... C A penis (cock) C A vagina (pussy, front-bottom) Both of these Neither of these Have you provided a blood sample as part of any STI test in the last 12 months? No Yes I don't remember Have you provided a urine sample as part of any STI test in the last 12 months? ○ No Yes I don't remember Was something inserted into the opening of your penis (urethral swab) as part of any STI test in the last 12 months? QUESTION SHOWN WHEN ANSWER TO QUESTION SO WE CAN ASK APPROPRIATE QUESTIONS ABOUT STI TESTS, AND BECAUSE PEOPLE'S BODIES DIFFER, DO YOU HAVE... IS ANY OF A PENIS (COCK), BOTH OF THESE No Yes I don't remember Has your **penis been examined** as part of any STI test in the last 12 months? QUESTION SHOWN WHEN ANSWER TO QUESTION SO WE CAN ASK APPROPRIATE QUESTIONS ABOUT STI TESTS, AND BECAUSE PEOPLE'S BODIES DIFFER, DO YOU HAVE... IS ANY OF A PENIS (COCK), BOTH OF THESE ○ No
○ Yes
○ I don't remember
Was something inserted into your vagina (vaginal swab) as part or any _
□ QUESTION SHOWN WHEN ANSWER TO QUESTION SO WE CAN ASK APPROPRIATE QUESTIONS ABOUT STITESTS, AND BECAUSE PEOPLE _
(PUSSY, FRONT-BOTTOM), BOTH OF THESE
○ No
○ Yes
○ I don't remember
Has your vagina been examined as part of any STI test in the last 12 months?
QUESTION SHOWN WHEN ANSWER TO QUESTION SO WE CAN ASK APPROPRIATE QUESTIONS ABOUT STITESTS, AND BECAUSE PEOPLE'S BODIES DIFFER, DO YOU HAVE... IS ANY OF A VAGINA (PUSSY, FRONT-BOTTOM), BOTH OF THESE
○ No
Or any STI test in the last 12 months? No Has your anus been examined as part of any STI test in the last 12 months? No Yes I don't remember

On that occasion, did your health care provider know you have sex with men?

Being diagnosed with sexually transmitted infections
Have you ever been diagnosed with syphilis ?
© No
© Yes
C I don't know
When were you last diagnosed with syphilis ?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH SYPHILIS? IS ANY OF YES
Within the last 24 hoursWithin the last 7 days
© Within the last 4 weeks
© Within the last 6 months
C Within the last 12 months
Within the last 5 years
C More than 5 years ago
The last time you were diagnosed with syphilis , did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WERE YOU LAST DIAGNOSED WITH SYPHILIS? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4
WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS O No, none of them
C Yes, some of them
© Yes, all of them
C I don't remember
Have you ever been diagnosed with gonorrhoea ?
O No
C Yes C I don't know
When were you last diagnosed with gonorrhoea ?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH GONORRHOEA? IS ANY OF YES
C Within the last 24 hours
© Within the last 7 days
© Within the last 4 weeks © Within the last 6 months
C Within the last 12 months
© Within the last 5 years
C More than 5 years ago
CUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH GONORRHOEA? IS ANY OF YES Within the last 24 hours Within the last 5 days Within the last 5 months Within the last 5 years ago The last time you were diagnosed with gonorrhoea, did you (or your healthcare provider) inform your recent sexual partners that they also needed a test/treatment? CUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WERE YOU LAST DIAGNOSED WITH GONORRHOEA? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 12 MONTHS No, none of them Yes, some of them Yes, so me of them Yes, so me of them Yes on the diagnosed with Chlamydia or LGV? No Yes Within the last 24 hours When were you last diagnosed with Chlamydia or LGV? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH CHLAMYDIA OR LGV? IS ANY OF YES WITHIN THE Last 4 weeks Within the last 24 hours Within the last 5 years Within the last 5 years More than 5 years ago
QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WERE YOU LAST DIAGNOSED WITH GONORRHOEA? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE
LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS No, none of them
© Yes, some of them
© Yes, all of them
© I don't remember
Have you ever been diagnosed with Chlamydia or LGV ?
C No
C Yes
C I don't know
When were you last diagnosed with Chlamydia or LGV ?
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH CHLAMYDIA OR LGV? IS ANY OF YES Within the last 24 hours
© Within the last 7 days
© Within the last 4 weeks
C Within the last 6 months
© Within the last 12 months © Within the last 5 years
More than 5 years ago
Have you ever been diagnosed with anal or genital warts?
C No
C I don't know


Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months Within the last 5 years More than 5 years ago About sex with men In this survey, we use "sex" to mean physical contact to orgasm (or close to orgasm) for one or both partners. Have you ever had any kind of sex with a man (please include any sexual contact, not just intercourse)? C No 0 Yes How old were you the very first time you had any kind of sex with another male, or another male had any kind of sex with you? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER HAD ANY KIND OF SEX WITH A MAN (PLEASE INCLUDE ANY SEXUAL CONTACT, NOT JUST INTERCOURSE)? IS ANY OF YES any sexual cr [Please select an answer] I don't remember Younger than 13 years 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 Older than 30 years Zact,
JDE ANY SEXUA When did you last have any kind of sex with a man (please include any sexual contact, not just intercourse)? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER HAD ANY KIND OF SEX WITH A MAN (PLEASE INCLUDE ANY SEXUAL CONTACT, NOT JUST INTERCOURSE)? IS ANY OF YES Never Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months Within the last 5 years More than 5 years ago About sex with men PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER HAD ANY KIND OF SEX WITH A MAN (PLEASE INCLUDE ANY SEXUAL CONTACT, NOT JUST INTERCOURSE)? IS ANY OF YES In this survey we use the term "intercourse" (fucking, screwing) to mean sex where one partner puts their penis into the other partner's anus or vagina, whether or not this occurs to ejaculation. "Intercourse" does not include oral sex or the use of dildos. Have you **ever** had intercourse with a man (either "passive" or "active" fucking), either with or without a condom? No Yes How old were you the **very first** time you had intercourse with another male? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER HAD INTERCOURSE WITH A MAN (EITHER PASSIVE OR ACTIVE FUCKING), EITHER WITH OR WITHOUT A CONDOM? IS ANY OF [Please select an answer] I don't remember Younger than 13 years 13

When were you FIRST diagnosed with anal or genital warts?

QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER BEEN DIAGNOSED WITH ANAL OR GENITAL WARTS? IS ANY OF YES

14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 Older than 30 years When did you last have intercourse with a man (either with or without a condom)? QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER HAD INTERCOURSE WITH A MAN (EITHER PASSIVE OR ACTIVE FUCKING), EITHER WITH OR WITHOUT A CONDOM? IS ANY OF Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months C Within the last 12 months Within the last 5 years More than 5 years ago About sex with steady male partners PAGE SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST HAVE ANY KIND OF SEX WITH A MAN (PLEASE INCLUDE ANY SEXUAL CONTACT, NOT JUST INTERCOURSE)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS In this survey we use the term 'steady partners' to refer to boyfriends or husbands that mean you are not 'single', but not to partners who are simply sex buddies. In the last 12 months have you had any kind of sex with a steady male partner? Yes How many different steady male partners have you had sex with in the last 12 months? QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS HAVE YOU HAD ANY KIND OF SEX WITH A STEADY MALE PARTNER? IS ANY OF YES [Please select an answer] 2 3 4 5 6 7 8 10 or more anolitages. (Reminder: The term "intercourse" (fucking, screwing) means sex where one partner puts their penis into the other partner's anus or vagina. "Intercourse" does not include oral sex or the use of dildos.) QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS HAVE YOU HAD ANY KIND OF SEX WITH A STEADY MALE PARTNER? IS ANY OF YES How many steady male partners have you had intercourse with in the last 12 months?

QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS HAVE YOU HAD ANY KIND OF SEX WITH A STEADY MALE PARTNER? IS ANY OF YES



How many steady male partners have you had intercourse without a condom with in the last 12 months? QUESTION SHOWN WHEN ANSWER TO QUESTION HOW MANY STEADY MALE PARTNERS HAVE YOU HAD INTERCOURSE WITH IN THE LAST 12 MONTHS? IS ANY OF 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 OR [Please select an answer] 📥 1 2 3 4 5 6 7 8 10 or more

About sex with non-steady male partners

PAGE SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST HAVE ANY KIND OF SEX WITH A MAN (PLEASE INCLUDE ANY SEXUAL CONTACT, NOT JUST INTERCOURSE)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS


In this survey we use the term 'non-steady partners' to mean men you have had sex with once only, and men you have sex with more than once but who you don't think of as a steady partner (including one night stands, anonymous and casual partners, regular sex buddies).

In the last 12 months, have you had any kind of sex with a non-steady male partner?

No Yes

How many different non-steady male partners have you had sex with in the last 12 months?

QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HAVE YOU HAD ANY KIND OF SEX WITH A NON-STEADY MALE PARTNER? IS ANY OF YES




MONTHS, HAV. (Reminder: The term "intercourse" (fucking, screwing) means sex where one partner puts their penis into the other partner's anus or vagina. "Intercourse" does not include oral sex or the use of dildos.)

QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HAVE YOU HAD ANY KIND OF SEX WITH A NON-STEADY MALE PARTNER? IS ANY OF YES

How many non-steady partners did you have **intercourse** with in the last 12 months?

TNER? IS ANY C. QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HAVE YOU HAD ANY KIND OF SEX WITH A NON-STEADY MALE PARTNER? IS ANY OF YES



How many non-steady male partners have you had intercourse without a condom with in the last 12 months?

QUESTION SHOWN WHEN ANSWER TO QUESTION HOW MANY NON-STEADY PARTNERS DID YOU HAVE INTERCOURSE WITH IN THE LAST 12 MONTHS? IS ANY OF 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11-20, 21-30, 31-40, 41-50, MORE THAN 50

[Please select an answer] 📥

	٦	
0		
1		
2		
3		
4		
5		
6		
7		
/		
8		
9		
10		
11-20		
21-30		
31-40		
41-50		
More than 50		
Flore than 50	4	
/_		

About intercourse with non-steady male partners

PAGE SHOWN WHEN ANSWER TO QUESTION HOW MANY NON-STEADY PARTNERS DID YOU HAVE INTERCOURSE WITH IN THE LAST 12 MONTHS? IS ANY OF 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11-20, 21-30, 31-40, 41-50, MORE THAN 50

In the last 12 months, how often were condoms used when you had intercourse with non-steady male partners?

- Never
- Seldom
- Sometimes
- Mostly
- Always

In the last 12 months, have you had intercourse without a condom with a non-steady partner who you **knew at the time was HIV positive**?

QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HOW OFTEN WERE CONDOMS USED WHEN YOU HAD INTERCOURSE WITH NON-STEADY MALE PARTNERS? IS ANY OF NEVER, SELDOM, SOMETIMES, MOSTLY

- No
- Yes

Did that HIV-positive man / those HIV-positive men have undetectable viral load?

QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HAVE YOU HAD INTERCOURSE WITHOUT A CONDOM WITH A NON-STEADY PARTNER WHO YOU KNEW AT THE TIME WAS HIV POSITIVE? IS ANY OF YES

- Yes, I knew he did / they all did
- Yes, I knew some of them did
- \ldot No, he did not / none of them did
- © I don't know
- © I don't understand the question

In the last 12 months, have you had intercourse without a condom with a non-steady partner who you **knew at the time was HIV negative**?

QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HOW OFTEN WERE CONDOMS USED WHEN YOU HAD INTERCOURSE WITH NON-STEADY MALE PARTNERS? IS ANY OF NEVER, SELDOM, SOMETIMES, MOSTLY

- No
- Yes

Was that HIV-negative man / were those HIV-negative men taking PrEP?

QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HAVE YOU HAD INTERCOURSE WITHOUT A CONDOM WITH A NON-STEADY PARTNER WHO YOU KNEW AT THE TIME WAS HIV NEGATIVE? IS ANY OF YES

- Yes, I know he was / they all were
- $\hfill \square$ Yes, I know some of them were
- No, he was not / none of them were
- I don't know
- © I don't understand the question

In the last 12 months have you had intercourse without a condom with a non-steady partner whose **HIV status you did not know** or think about at the time?

QUESTION SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HOW OFTEN WERE CONDOMS USED WHEN YOU HAD INTERCOURSE WITH NON-STEADY MALE PARTNERS? IS ANY OF NEVER, SELDOM, SOMETIMES, MOSTLY

- No
- Yes

About the last time you had any sex with a non-steady male partner

PAGE SHOWN WHEN ANSWER TO QUESTION IN THE LAST 12 MONTHS, HAVE YOU HAD ANY KIND OF SEX WITH A NON-STEADY MALE PARTNER? IS ANY OF YES

Were you having sex with one man or more than one man? It was just me and him It was me, my steady partner and a non-steady partner (a threesome) It was me and two non-steady partners (a threesome) It was me and three or more other people **[IF LAST NON-STEADY SESSION WAS WITH ONE PARTNER OR THREESOME WITH STEADY PARTNER (1)]** PAGE SHOWN WHEN ANSWER TO QUESTION WERE YOU HAVING SEX WITH ONE MAN OR MORE THAN ONE MAN? IS ANY OF IT WAS JUST ME AND HIM, IT WAS ME, MY STEADY PARTNER AND A ION-STEADY PARTNER (A THREESOME) Where did you have sex? C My home His home C Someone else's home A hotel room C In a club or backroom of a bar A sauna A porn cinema A cruising location (street, roadside service area, park, beach, baths, lavatory) Other answer Please describe your other answer QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE DID YOU HAVE SEX? IS ANY OF OTHER ANSWER Please answer the following question with regard to the non-steady partner. QUESTION SHOWN WHEN ANSWER TO QUESTION WERE YOU HAVING SEX WITH ONE MAN OR MORE THAN ONE MAN? IS ANY OF IT WAS ME, MY STEADY PARTNER AND A NON-STEADY PARTNER (A THREESOME) ths, lavatory) Where did you first meet him? A gay community centre, gay organisation or gay social group A gay café or gay bar A gay disco or nightclub A backroom of a bar, gay sex club, a public gay sex party A gay sex party in a private home A gay sauna A porn cinema
A cruising location (street, roadside service area, park, beach, baths, lavatory) On my mobile phone (or other GPS enabled device) Elsewhere on the internet Elsewhere Have you had sex with him before (on a different occasion)? ○ No. Yes, one time Yes, more than one time What did you tell him about your HIV status before or during sex? I told him I didn't know my HIV status © I told him I was HIV negative I told him I was HIV positive I said nothing about my HIV status I don't remember What did you tell him about your PrEP use? QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU TELL HIM ABOUT YOUR HIV STATUS BEFORE OR DURING SEX? IS ANY OF I TOLD HIM I WAS HIV NEGAT I told him I was on PrEP I told him I was not on PrEP I did not tell him whether I was on PrEP or not What did you tell him about your viral load? QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU TELL HIM ABOUT YOUR HIV STATUS BEFORE OR DURING SEX? IS ANY OF I TOLD HIM I WAS HIV POSITIVE I told him I was undetectable I told him I was detectable © I told him nothing about my viral load

Please think about the most recent occasion you had sex with a non-steady male sex partner (whether or not you had intercourse).

What did you know or think about his fire status before having sex?
© I knew or thought he was HIV negative
© I knew or thought he was HIV positive
© I don't remember
© I didn't have any thoughts about his HIV status
What did he tall you shout his viral lead?
What did he tell you about his viral load?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU KNOW OR THINK ABOUT HIS HIV STATUS BEFORE HAVING SEX? IS ANY OF I KNEW OR THOUGHT HE WAS HIV POSITIVE
He told me he was undetectable
He told me he was detectable
He told me nothing about his viral load
What did he tell you about his PrEP use?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU KNOW OR THINK ABOUT HIS HIV STATUS BEFORE HAVING SEX? IS ANY OF I KNEW OR THOUGHT HE WAS HIV NEGATIVE
C He told me he was on PrEP C He told me he was not on PrEP
C He did not tell me whether he was on PrEP or not
[IF LAST NON-STEADY SESSION WAS WITH ONE PARTNER OR THREESOME WITH
-
STEADY PARTNER (2)]
PAGE SHOWN WHEN ANSWER TO QUESTION WERE YOU HAVING SEX WITH ONE MAN OR MORE THAN ONE MAN? IS ANY OF IT WAS JUST ME AND HIM, IT WAS ME, MY STEADY PARTNER AND A NON-STEADY PARTNER (A THREESOME)
Still thinking about the last time you had sex with a non-steady male partner
Still thinking about the last time you had sex with a non-steady male partner
Did you have intercourse (fuck) on that occasion?
C No C Yes, he fucked me (I was 'passive')
© Yes, I fucked him (I was 'active')
C Yes, we fucked each other (I was both 'passive' and 'active')
/ > '0',
Did he use a condom when he was active in intercourse (when he fucked you)?
QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU HAVE INTERCOURSE (FUCK) ON THAT OCCASION? IS ANY OF YES, HE FUCKED ME (I WAS 'PASSIVE'), YES, WE FUCKED EACH OTHER (I
WAS BOTH 'PASSIVE' AND 'ACTIVE')
O No
C Yes, all the time he was fucking C Yes, but not all the time
C I don't remember/I don't know
740 11
QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU HAVE INTERCOURSE (FUCK) ON THAT OCCASION? IS ANY OF YES, HE FUCKED ME (I WAS 'PASSIVE'), YES, WE FUCKED EACH OTHER (I WAS BOTH 'PASSIVE' AND 'ACTIVE') No Yes, all the time he was fucking Yes, but not all the time I don't remember/I don't know Did he ejaculate (cum) into your rectum (arse)? QUESTION SHOWN WHEN ANSWER TO QUESTION DID HE USE A CONDOM WHEN HE WAS ACTIVE IN INTERCOURSE (WHEN HE FUCKED YOU)? IS ANY OF NO, YES, BUT NOT ALL THE TIME No Yes I don't remember/I don't know Did you use a condom when you were "active" in intercourse? QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU HAVE INTERCOURSE (FUCK) ON THAT OCCASION? IS ANY OF YES, I FUCKED HIM (I WAS 'ACTIVE'), YES, WE FUCKED EACH OTHER (I
QUESTION SHOWN WHEN ANSWER TO QUESTION DID HE USE A CONDOM WHEN HE WAS ACTIVE IN INTERCOURSE (WHEN HE FUCKED YOU)? IS ANY OF NO, YES, BUT NOT ALL THE TIME
© No
C Yes
C I don't remember/I don't know
Did you use a condom when you were "active" in intercourse?
QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU HAVE INTERCOURSE (FUCK) ON THAT OCCASION? IS ANY OF YES, I FUCKED HIM (I WAS 'ACTIVE'), YES, WE FUCKED EACH OTHER (I
WAS BOTH 'PASSIVE' AND 'ACTIVE')
© Yes, all the time I was fucking
C Yes, but not all the time
C I don't remember/I don't know
Did you ejaculate (cum) into his rectum (arse)?
OUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU USE A CONDOM WHEN YOU WERE ACTIVE IN INTERCOURSE? IS ANY OF NO. YES, BUT NOT ALL THE TIME
C No
O Yes
C I don't remember/I don't know
Did you use a condom when you were "active" in intercourse? QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU HAVE INTERCOURSE (FUCK) ON THAT OCCASION? IS ANY OF YES, I FUCKED HIM (I WAS 'ACTIVE'), YES, WE FUCKED EACH OTHER (I WAS BOTH 'PASSIVE' AND 'ACTIVE') NO Yes, all the time I was fucking Yes, but not all the time I don't remember/I don't know Did you ejaculate (cum) into his rectum (arse)? QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU USE A CONDOM WHEN YOU WERE ACTIVE IN INTERCOURSE? IS ANY OF NO, YES, BUT NOT ALL THE TIME No Yes I don't remember/I don't know During that session, did you engage in (Tick as many as apply)
During that session, did you engage in (Tick as many as apply)
(Tick as many as apply)
☐ Mutual masturbation (wanking)?
You sucking his penis (cock)?
Him sucking your penis (cock)?
You licking his anus (rimming him)?
Him licking your anus (him rimming you)?
 ☐ You put your hand past the knuckle into his rectum (you fist-fucked him)?☐ He put his hand past the knuckle into your rectum (he fist-fucked you)?
Using sex toys for penetration

☐ Sharing sex toys for penetration ☐ Other sex acts
What other sex acts did you engage in?
QUESTION SHOWN WHEN ANSWER TO QUESTION DURING THAT SESSION, DID YOU ENGAGE IN (TICK AS MANY AS APPLY) IS ANY OF OTHER SEX ACTS
Which of these substances had you taken shortly before or during this session? (Tick as many as apply)
Alcohol Poppers (nitrite inhalants) Viagra®, Cialis®, Levitra® or other substances that help to get or keep an erection Sedatives or tranquilizers (Valium®, Rivotril®, Rohypnol®, Xanax®, Seduxen®, Phenazepam) Cannabis (hashish, marijuana) Synthetic cannabinoids (eg. Spice, K2, herbal incense) Ecstasy (E, XTC, MDMA) in the form of a pill Ecstasy (E, XTC, MDMA) in the form of a crystal or powder Amphetamine (speed) Crystal methamphetamine (crystal, meth, Tina, Pervitin) Heroin or related drugs (poppy straw, kompot, fentanyl) Mephedrone (4-MMC, meow, methylone, bubbles) Synthetic stimulants other than mephedrone (eg. MXE, bathsalts, 3-MMC, 4-MEC, 4_FA, XTC-light) GHB/GBL (liquid ecstasy) Ketamine (special K) LSD (acid) Cocaine Crack cocaine I took drugs but I don't know which drugs I had not taken any drugs or alcohol
Did you inject drugs (or have someone inject you) on this occasion?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH OF THESE SUBSTANCES HAD YOU TAKEN SHORTLY BEFORE OR DURING THIS SESSION? (TICK AS MANY AS APPLY) IS ANY OF VIAGRA®, CIALIS®, LEVITRA® OR OTHER SUBSTANCES THAT HELP TO GET OR KEEP AN ERECTION, ECSTASY (E, XTC, MDMA) IN THE FORM OF A PILL, ECSTASY (E, XTC
On a scale of 1 (worst) to 10 (best), how would you rate this sexual session? [Please select an answer] 1 (worst) 2 3 4 5 6 7 8 9 10 (best)
[IF LAST NON-STEADY SESSION WAS WITH MULTIPLE PARTNERS (1)]
PAGE SHOWN WHEN ANSWER TO QUESTION WERE YOU HAVING SEX WITH ONE MAN OR MORE THAN ONE MAN? IS ANY OF IT WAS ME AND TWO NON-STEADY PARTNERS (A THREESOME), IT
WAS ME AND THREE OR MORE OTHER PEOPLE
[IF LAST NON-STEADY SESSION WAS WITH MULTIPLE PARTNERS (1)] PAGE SHOWN WHEN ANSWER TO QUESTION WERE YOU HAVING SEX WITH ONE MAN OR MORE THAN ONE MAN? IS ANY OF IT WAS ME AND TWO NON-STEADY PARTNERS (A THREESOME), IT WAS ME AND THREE OR MORE OTHER PEOPLE Where did you have sex? 'Your home 'Someone else's home 'A hotel room 'In a club or backroom of a bar 'A sauna 'A porn cinema 'A cruising location (street, roadside service area, park, beach, baths, lavatory) 'Other answer
Please describe your other answer

QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE DID YOU HAVE SEX? IS ANY OF OTHER ANSWER

Where did you first meet them? (Tick as many as apply)
 □ A gay community centre, gay organisation or gay social group □ A gay café or gay bar □ A gay disco or nightclub □ A backroom of a bar, gay sex club, a public gay sex party
 □ A gay sex party in a private home □ A gay sauna □ A porn cinema
☐ A cruising location (street, roadside service area, park, beach, baths, lavatory) ☐ On my mobile phone (or other GPS enabled device) ☐ Elsewhere on the internet ☐ Elsewhere
Have you had sex with any of them before (on a different occasion)?
C No, they were all new to me C Yes, one time with one or more of them C Yes, more than one time with one or more of them
What did you tell them about your HIV status before or during sex?
☐ I told them I didn't know my HIV status ☐ I told them I was HIV negative ☐ I told them I was HIV positive ☐ I said nothing about my HIV status ☐ I don't remember
What did you tell them about your PrEP use?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU TELL THEM ABOUT YOUR HIV STATUS BEFORE OR DURING SEX? IS ANY OF I TOLD THEM I WAS HIV NEGATIVE I told them I was not on PrEP I did not tell them whether I was on PrEP or not
What did you tell them about your viral load?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU TELL THEM ABOUT YOUR HIV STATUS BEFORE OR DURING SEX? IS ANY OF I TOLD THEM I WAS HIV POSITIVE I told them I was undetectable I told them I was detectable I told them nothing about my viral load
What did you know or think about their HIV statuses before having sex
What did you know or think about their HIV statuses before having sex © I knew or thought they were all HIV negative © I knew or thought they were all HIV positive © I knew or thought they had different HIV statuses © I don't remember © I didn't have any thoughts about their HIV statuses Did any of them tell you they were on PrEP? QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU KNOW OR THINK ABOUT THEIR HIV STATUSES BEFORE HAVING SEX IS ANY OF I KNEW OR THOUGHT THEY WERE ALL HIV
© I didn't remember © I didn't have any thoughts about their HIV statuses
Did any of them tell you they were on PrEP?
NEGATIVE, I KNEW OR THOUGHT THEY HAD DIFFERENT HIV STATUSES No Yes I don't know / I don't remember Did any of them tell you they had undetectable viral load?
Did any of them tell you they had undetectable viral load?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU KNOW OR THINK ABOUT THEIR HIV STATUSES BEFORE HAVING SEX IS ANY OF I KNEW OR THOUGHT THEY WERE ALL HIV POSITIVE, I KNEW OR THOUGHT THEY HAD DIFFERENT HIV STATUSES
QUESTION SHOWN WHEN ANSWER TO QUESTION WHAT DID YOU KNOW OR THINK ABOUT THEIR HIV STATUSES BEFORE HAVING SEX IS ANY OF I KNEW OR THOUGHT THEY WERE ALL HIV POSITIVE, I KNEW OR THOUGHT THEY HAD DIFFERENT HIV STATUSES NO Yes I don't know / I don't remember
[IF LAST NON-STEADY SESSION WAS WITH MULTIPLE PARTNERS (2)] PAGE SHOWN WHEN ANSWER TO QUESTION WERE YOU HAVING SEX WITH ONE MAN OR MORE THAN ONE MAN? IS ANY OF IT WAS ME AND TWO NON-STEADY PARTNERS (A THREESOME), IT
WAS ME AND THREE OR MORE OTHER PEOPLE Still thinking about the last time you had sex with non-steady male partners

Did you have intercourse (fuck) on that occasion?

Yes, I fucked someone (I was 'active')Yes, I both fucked and got fucked (I was both 'active' and 'passive')
Did the men fucking you use condoms ?
QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU HAVE INTERCOURSE (FUCK) ON THAT OCCASION? IS ANY OF YES, SOMEONE FUCKED ME (I WAS 'PASSIVE'), YES, I BOTH FUCKED AND GOT FUCKED (I WAS BOTH 'ACTIVE' AND 'PASSIVE') No Yes, all the time they were fucking me Yes, but not all the time they were fucking me I don't remember/I don't know
Did any men ejaculate (cum) into your rectum (arse)?
QUESTION SHOWN WHEN ANSWER TO QUESTION DID THE MEN FUCKING YOU USE CONDOMS? IS ANY OF NO, YES, BUT NOT ALL THE TIME THEY WERE FUCKING ME No Yes
C I don't remember/I don't know
Did you use condoms when were active in intercourse (you fucking them)?
QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU HAVE INTERCOURSE (FUCK) ON THAT OCCASION? IS ANY OF YES, I FUCKED SOMEONE (I WAS 'ACTIVE'), YES, I BOTH FUCKED AND GOT FUCKED (I WAS BOTH 'ACTIVE' AND 'PASSIVE') No Yes, all the time I was fucking Yes, but not all the time I was fucking I don't remember/I don't know
Did you ejaculate (cum) into anyone's rectum (arse)?
QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU USE CONDOMS WHEN WERE ACTIVE IN INTERCOURSE (YOU FUCKING THEM)? IS ANY OF NO, YES, BUT NOT ALL THE TIME I WAS FUCKING No Yes I don't remember/I don't know
Did you ejaculate (cum) into anyone's rectum (arse)? QUESTION SHOWN WHEN ANSWER TO QUESTION DID YOU USE CONDOMS WHEN WERE ACTIVE IN INTERCOURSE (YOU FUCKING THEM)? IS ANY OF NO, YES, BUT NOT ALL THE TIME I WAS FUCKING NO Yes I don't remember/I don't know During that session, with any partner did you engage in (Tick as many as apply) Mutual masturbation (wanking)? You sucking his penis (cock)? Him sucking your penis (cock)? Him sucking your penis (cock)? You licking his anus (rimming him)? He julting your anus (him rimming you)? You put your hand into his rectum (you fist-fucked him)? He put his hand into your rectum (he fist-fucked you)? Using sex toys for penetration Sharing sex toys for penetration Other sex acts What other sex acts did you engage in? QUESTION SHOWN WHEN ANSWER TO QUESTION DURING THAT SESSION, WITH ANY PARTNER DID YOU ENGAGE IN (TICK AS MANY AS APPLY) IS ANY OF OTHER SEX ACTS
 You put your hand into his rectum (you fist-fucked him)? He put his hand into your rectum (he fist-fucked you)? Using sex toys for penetration Sharing sex toys for penetration Other sex acts
What other sex acts did you engage in?
QUESTION SHOWN WHEN ANSWER TO QUESTION DURING THAT SESSION, WITH ANY PARTNER DID YOU ENGAGE IN (TICK AS MANY AS APPLY) IS ANY OF OTHER SEX ACTS
Which of these substances had you taken shortly before or during this session? (Tick as many as apply)
Which of these substances had you taken shortly before or during this session? (Tick as many as apply) Alcohol Poppers (nitrite inhalants) Viagra®, Cialis®, Levitra® or other substances that help to get or keep an erection Sedatives or tranquilizers (Valium®, Rivotril®, Rohypnol®, Xanax®, Seduxen®, Phenazepam) Cannabis (hashish, marijuana) Synthetic cannabinoids (eg. Spice, K2, herbal incense) Ecstasy (E, XTC, MDMA) in the form of a pill Ecstasy (E, XTC, MDMA) in the form of a crystal or powder Amphetamine (speed) Crystal methamphetamine (crystal, meth, Tina, Pervitin) Heroin or related drugs (poppy straw, kompot, fentanyl) Mephedrone (4-MMC, meow, methylone, bubbles) Synthetic stimulants other than mephedrone (eg. MXE, bathsalts, 3-MMC, 4-MEC, 4_FA, XTC-light)
☐ Synthetic cannabinoids (eg. Spice, K2, herbal incense) ☐ Ecstasy (E, XTC, MDMA) in the form of a pill ☐ Ecstasy (E, XTC, MDMA) in the form of a crystal or powder ☐ Amphetamine (speed) ☐ Crystal methamphetamine (crystal, meth, Tina, Pervitin)
GHB/GBL (liquid ecstasy)
Ketamine (special K) LSD (acid) Cocaine Crack cocaine

I had not taken any drugs or alcohol

Did you inject drugs (or have someone inject you) on this occasion?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH OF THESE SUBSTANCES HAD YOU TAKEN SHORTLY BEFORE OR DURING THIS SESSION? (TICK AS MANY AS APPLY) IS ANY OF SEDATIVES OR TRANQUILIZERS (VALIUM®, RIVOTRIL®, ROHYPNOL®, XANAX®, SEDUXEN®, PHENAZEPAM), ECSTASY (E, XTC, MDMA) IN THE FORM OF A CRYSTAL OR POWDER. AMPHETAMINE (SPEED), CRYSTAL METHAMPHETAMINE (CRYSTAL, METH, TINA, PERVITIN), HEROIN OR RELATED DRUGS (POPPY STRAW, KOMPOT, FENTANYL), MEPHEDRONE (4-MMC, MEOW, METHYLONE, BUBBLES), SYNTHETIC STIMULANTS OTHER THAN MEPHEDRONE (EG. MXE, BATHSALTS, 3-MMC, 4-MEC, 4_FA, XTC-LIGHT), KETAMINE (SPECIAL K), COCAINE, CRACK COCAINE

No

Yes

On a scale of 1 (worst) to 10 (best), how would you rate this sexual session?



Paying and being paid for sex with men

PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER HAD ANY KIND OF SEX WITH A MAN (PLEASE INCLUDE ANY SEXUAL CONTACT, NOT JUST INTERCOURSE)? IS ANY OF YES

to ha When was the last time you paid a man to have sex with you. By paid we mean you gave him money, gifts or favours in return for sex.

- Never
- Within the last 24 hours
- Within the last 7 days
- Within the last 4 weeks
- Within the last 6 months
- Within the last 12 months
- Within the last 5 years
- More than 5 years ago

In the last 12 months, how often have you paid a man to have sex with you?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU PAID A MAN TO HAVE SEX WITH YOU. BY PAID WE MEAN YOU GAVE HIM MONEY, GIFTS OR FAVOURS IN RETURN FOR SEX. IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS

- 1-2 times
- 3-10 times
- 11-50 times
- More than 50 times

nean he ga When was the last time you were paid by a man to have sex with him. By paid we mean he gave you money, gifts or favours in return for sex.

- Never
- Within the last 24 hours
- Within the last 7 days
- Within the last 4 weeks
- Within the last 6 months
- Within the last 12 months
- Within the last 5 years
- More than 5 years ago

In the last 12 months how often have you been paid by a man to have sex with him?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU WERE PAID BY A MAN TO HAVE SEX WITH HIM. BY PAID WE MEAN HE GAVE YOU MONEY, GIFTS OR FAVOURS IN RETURN FOR SEX. IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS

- 1-2 times
- 3-10 times
- 11-50 times
- More than 50 times

About sex with women

In this survey, we use "sex" to mean physical contact to orgasm (or close to orgasm) for one or both partners.

When did you last have any kind of sex with a woman?

- Never
- Within the last 24 hours
- Within the last 7 days
- Within the last 4 weeks
- Within the last 6 months
- Within the last 12 months
- Within the last 5 years
- More than 5 years ago

In this survey we use the term "intercourse" to mean sex where one partner puts their penis into the other partner's vagina or anus, whether or not this occurs to ejaculation. "Intercourse" does not include oral sex or the use of dildos.

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST HAVE ANY KIND OF SEX WITH A WOMAN? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS

How many different women, have you had intercourse with in the last 12 months?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST HAVE ANY KIND OF SEX WITH A WOMAN? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS



In the last 12 months, how often have you used condoms when you had intercourse with women?

QUESTION SHOWN WHEN ANSWER TO QUESTION HOW MANY DIFFERENT WOMEN, HAVE YOU HAD INTERCOURSE WITH IN THE LAST 12 MONTHS? IS ANY OF 1, 2, 3, 4, 5, 6, 7, 8, 9, 10 OR MORE

- Never
- Seldom
- Sometimes
- Mostly
- Always

Did you know this about HIV transmission

The following three statements are all TRUE. Did you know this already?

	I knew this already	I was not sure about this	I did not know this already	I do not understand this	I do not believe this
HIV cannot be passed during kissing, including deep kissing, because saliva does not transmit HIV.	0	c	مراور و	240	0
You can pick up HIV through your penis while being 'active' in anal or vaginal sex (fucking) without a condom, even if you don't ejaculate.	0	0	o Co	in Op	O
You can pick up HIV through your rectum or vagina while being 'passive' during sex (being fucked).	0	0	0	Oy, l.	700
What do you think your current HIV status is Definitely negative (I don't have HIV) Probably negative Not sure / I don't know Probably positive Definitely positive (I do have HIV)	(whether or n	ot you've ever to	ested for HIV)?		anguages.

- C Definitely negative (I don't have HIV)
- Probably negative
- Not sure / I don't know
- Probably positive
- C Definitely positive (I do have HIV)

Did you know this about STI transmission

The following three statements are TRUE. Did you know this already?

I knew this I was not sure I did not know I do not I do not believe already about this this already understand this this

Most sexually transmitted infections can be	0	0	0	0	0	
passed on more easily than HIV.						
Because they sometimes have no symptoms,	0	0	0	0	0	
people can have sexually transmitted infections without knowing it.						
Without Knowing It.						
The correct use of condoms throughout	0	0	0	0	0	
intercourse reduces the likelihood of picking up and passing on STIs (including HIV).						
,						
About your access to condoms						
When was the last time you had intercourse w	ithout a cond	om solely beca	use you did not	t have a condon	n?	
			,			
Never Within the last 24 hours						
© Within the last 7 days						
C Within the last 4 weeks						
Within the last 6 months						
Within the last 12 months						
Within the last 5 yearsMore than 5 years ago						
Piore than 5 years ago						
Where have you got condoms from in the last	12 months?					
(Tick all that apply)						
□ Pought online						
☐ Bought online ☐ Bought at a physical shop (not online)						
Bought from a vending machine) x					
Free from clinics	50					
☐ Free from gay bars/clubs	.0.					
Free from saunas						
☐ Free from gay or HIV community organisations	/ (A)X					
From friends/sex partners	.0					
Other answer		9,				
I have not got condoms in the last 12 months	3/ 1/2	4.				
Please describe your other answer.	- OL 16	~ (C)				
,		\sim				
QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE HAVE YOU	J GOT CONDOMS FI	ROM IN THE LAST 12	MONTHS? (TICK ALL T	THAT APPLY) IS ANY OF	OTHER ANSWER	
		- 70	(/):			
		0'x	1.0			
Where have you most commonly got condom	ns from in the	e last 12 month	s?			
QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE HAVE YOU	J GOT CONDOMS F	ROM IN THE LAST 12	MONTHS? (TICK ALL T	HAT APPLY) IS ANY OF	BOUGHT ONLINE, BOUGHT A	TA
PHYSICAL SHOP (NOT ONLINE), BOUGHT FROM A VENDING MACHIN	E, FREE FROM CLIN	IICS, FREE FROM GAY	BARS/CLUBS, FREE F	ROM SAUNAS, FREE F	ROM GAY OR HIV COMMUNITY	·
ORGANISATIONS, FROM FRIENDS/SEX PARTNERS, OTHER ANSWER Bought online			9/2	46		
Bought at a physical shop (not online)			0	12		
Bought from a vending machine			-is	. '0		
Free from clinics				1/2 //		
Free from gay bars/clubs				1/ 1/		
Free from saunasFree from gay or HIV community organisations				$O_{X_{I}}$	Y .	
From friends/sex partners				9	104	
Other answer				(Q)	. 100	
					6	
Please describe your other answer.					E BOUGHT ONLINE, BOUGHT A' ROM GAY OR HIV COMMUNITY	
QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE HAVE YOU	J MOST COMMONLY	Y GOT CONDOMS FRO	M IN THE LAST 12 MO	NTHS? IS ANY OF OTH	ER ANSWER	
					AC . !	5), [
					70)	
					90	
How you've been feeling recent	tly				6,0	

Over the last 2 weeks, how often have you been bothered by the following problems?

	not at all	some days	more than half the days	nearly every day
Feeling nervous, anxious or on edge	C	C	0	0
Not being able to stop or control worrying	0	0	0	0

Little interest or pleasure in doing things	0	0	0	0	
Feeling down, depressed, or hopeless	0	0	0	0	
Thoughts that you would be better off dead, or of hurting yourself in some way	0	c	С	О	
About using various substances How long has it been since you last consumed t even if this was not typical for you.		bstances in any conf	text. Please say wh	nen you last did somethi	ing,
When was the last time you consumed alcohol ?	?				
C Never C Within the last 24 hours C Within the last 7 days C Within the last 4 weeks C Within the last 6 months C Within the last 12 months C Within the last 5 years C More than 5 years ago					
When was the last time you consumed tobacco C Never C Within the last 24 hours C Within the last 7 days C Within the last 4 weeks C Within the last 6 months C Within the last 12 months C Within the last 5 years C More than 5 years ago	products?				
When was the last time you consumed popper s	s (nitrite inhala	nts)?			
C Never C Within the last 24 hours C Within the last 7 days C Within the last 4 weeks C Within the last 6 months C Within the last 12 months C Within the last 5 years C More than 5 years ago	To,	nts)?			
About using various substances	•	7			
When was the last time you consumed Viagra (C Never C Within the last 24 hours C Within the last 7 days C Within the last 4 weeks C Within the last 6 months C Within the last 12 months C Within the last 5 years C More than 5 years ago	®, Cialis®, Lev	vitra® or other sub	stances that help	to get or keep an erecti Xanax®, Seduxen®,	ion?
When was the last time you consumed sedative Phenazepam®) ?	es or tranquilize	ers (Valium®, Rivot	ril®, Rohypnol®,	Xanax®, Seduxen®,	این
C Never C Within the last 24 hours C Within the last 7 days C Within the last 4 weeks C Within the last 6 months C Within the last 12 months C Within the last 5 years C More than 5 years ago				Xanax®, Seduxen®,	i.
Have you EVER taken any other recreational or i	illicit drugs?				
ℂ No					

About other substances you may have consumed

PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN ANY OTHER RECREATIONAL OR ILLICIT DRUGS? IS ANY OF YES

How long has it been since you last consumed the following substances in any context. Please say when you last did something,

even if this was not typical for you. When was the last time you consumed cannabis (hashish, marijuana)? Never Within the last 24 hours Within the last 7 days

C Within the last 6 months Within the last 12 months C Within the last 5 years C More than 5 years ago

Within the last 4 weeks

When was the last time you consumed synthetic cannabinoids (eg. Spice, K2, herbal incense)?

Never C Within the last 24 hours Within the last 7 days Within the last 4 weeks C Within the last 6 months Within the last 12 months Within the last 5 years More than 5 years ago

When was the last time you consumed ecstasy (E, XTC, MDMA) in the form of a pill?

Never Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months Within the last 5 years More than 5 years ago

772 0 10 10 14. TA) the form of a state of the stat When was the last time you consumed ecstasy (E, XTC, MDMA) in the form of a crystal or powder?

Never Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months

Within the last 12 months Within the last 5 years

More than 5 years ago

About other substances you may have consumed

PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN ANY OTHER RECREATIONAL OR ILLICIT DRUGS? IS ANY OF YES

When was the last time you consumed amphetamine (speed)?

Never

Within the last 24 hours

Within the last 7 days

Within the last 4 weeks

Within the last 6 months

Within the last 12 months Within the last 5 years

More than 5 years ago

When was the last time you consumed crystal methamphetamine (crystal, meth, Tina, Pervitin)?

Never

Within the last 24 hours

Within the last 7 days

Within the last 4 weeks

Within the last 6 months

Within the last 12 months

Within the last 5 years

© More than 5 years ago	
When was the last time you consumed heroin or related drug	s (poppy straw, kompot, fentanyl)?
© Never	
Within the last 24 hours	
Within the last 7 days	
Within the last 4 weeks	
Within the last 6 months	
Within the last 12 months	
Within the last 5 yearsMore than 5 years ago	
When was the last time you consumed mephedrone (4-MMC,	meow, methylone, bubbles)?
C Never	
Within the last 24 hours	
Within the last 7 days	
C Within the last 4 weeks	
C Within the last 6 months	
C Within the last 12 months	
C Within the last 5 years	
C More than 5 years ago	
When was the last time you consumed synthetic stimulants of 4_FA, XTC-light) ?	other than mephedrone (eg. MXE, bathsalts, 3-MMC, 4-MEC,
4 9	
Never	
Within the last 24 hours	
Within the last 7 daysWithin the last 4 weeks	
Within the last 4 weeks Within the last 6 months	
C Within the last 12 months	
© Within the last 5 years	
C More than 5 years ago	
7, 6	
About other substances you may have con	sumed
PAGE SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN ANY OTHER RECREATI	ONAL OR ILLICIT DRUGS? IS ANY OF YES
	Vi.
	asy)? his document of the state
When was the last time you consumed GHB/GBL (liquid ecst: Never Within the last 24 hours Within the last 4 weeks Within the last 5 months Within the last 5 years More than 5 years ago When was the last time you consumed ketamine (special K)? Never Within the last 24 hours Within the last 4 weeks Within the last 4 weeks Within the last 5 years Within the last 5 months Within the last 12 months Within the last 5 years More than 5 years ago When was the last time you consumed LSD (acid)? Never Within the last 7 days Within the last 5 years Within the last 6 months Within the last 5 months Within the last 5 months Within the last 5 years More than 5 years ago	Vi.
	Vi.

0	Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months Within the last 5 years
(More than 5 years ago
W	hen was the last time you consumed crack cocaine ?
(Never
- (Within the last 24 hours
(Within the last 7 days
- (Within the last 4 weeks
- (Within the last 6 months
- (Within the last 12 months
1	Within the last 5 years
	More than 5 years ago

About injecting

Have you ever injected anabolic steroids (testosterone), or had someone else inject into you?


- No, never
- C Yes, within the last 12 months
- C Yes, more than 12 months ago

Have you ever injected any drug to get high (other than anabolic steroids or prescribed medicines), or had someone else inject into you?

- No, never
- C Yes, within the last 12 months
- C Yes, more than 12 months ago

In the last 12 months how many times have you injected any drug other than anabolic steroids or medicines, or had someone else inject into you?

QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER INJECTED ANY DRUG TO GET HIGH (OTHER THAN ANABOLIC STEROIDS OR PRESCRIBED MEDICINES), OR HAD SOMEONE ELSE



- Amphetamine (speed)
- Crystal methamphetamine (crystal, meth, Tina, Pervitin)
- Heroin or related drugs (poppy straw, kompot, fentanyl)
- Mephedrone (4-MMC, meow, methylone, bubbles)
- Synthetic stimulants other than mephedrone (eg. MXE, bathsalts, 3-MMC, 4-MEC, 4_FA, XTC-light)
- Cocaine
- □ Crack cocaine
- ☐ I've injected drugs but I don't know which drugs

When was the last time you injected with a used needle or syringe given, lent, rented or sold to you by someone else

QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER INJECTED ANABOLIC STEROIDS (TESTOSTERONE), OR HAD SOMEONE ELSE INJECT INTO YOU? IS ANY OF YES, WITHIN THE LAST 12 MONTHS, YES, MORE THAN 12 MONTHS AGO OR ANSWER TO QUESTION HAVE YOU EVER INJECTED ANY DRUG TO GET HIGH (OTHER THAN ANABOLIC STEROIDS OR PRESCRIBED MEDICINES), OR HAD SOMEONE ELSE INJECT INTO YOU? IS ANY OF YES, WITHIN THE LAST 12 MONTHS, YES, MORE THAN 12 MONTHS AGO

- Never
- Within the last 24 hours
- Within the last 7 days
- Within the last 4 weeks
- Within the last 6 months
- Within the last 12 months

© Within the last 5 years © More than 5 years ago
About combining sex and substances
When was the last time you had sober sex (that is, NOT under the influence of alcohol or any other drug)?
Never Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months Within the last 5 years More than 5 years ago In the last 12 months, how much of the sex you've had with men has been under the influence of alcohol or any other drug?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN DID YOU LAST HAVE ANY KIND OF SEX WITH A MAN (PLEASE INCLUDE ANY SEXUAL CONTACT, NOT JUST INTERCOURSE)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS None of it Less than half More than half Almost all of it Almost all of it
When was the last time you used stimulant drugs to make sex more intense or last longer? [Note: The stimulant drugs include ecstasy/MDMA, cocaine, amphetamine (speed), crystal methamphetamine (Tina, Pervitin), mephedrone and ketamine.]
QUESTION SHOWN WHEN ANSWER TO QUESTION HAVE YOU EVER TAKEN ANY OTHER RECREATIONAL OR ILLICIT DRUGS? IS ANY OF YES Never Within the last 24 hours Within the last 7 days Within the last 4 weeks Within the last 6 months Within the last 12 months Within the last 5 years More than 5 years ago When was the last time you combined stimulant drugs and sex with more than one man at the same time?
When was the last time you combined stimulant drugs and sex with more than one man at the same time?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU USED STIMULANT DRUGS TO MAKE SEX MORE INTENSE OR LAST LONGER? [NOTE: THE STIMULANT DRUGS INCLUDE ECSTASYMDMA, COCAINE, AMPHETAMINE (SPEED), CRYSTAL METHAMPHETAMINE (TINA, PERVITIN), MEPHEDRONE AND KETAMINE.] IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS, WITHIN THE LAST 5 YEARS, MORE THAN 5 YEARS AGO (Never) (Within the last 24 hours) (Within the last 7 days) (Within the last 4 weeks) (Within the last 6 months) (Within the last 12 months) (Within the last 5 years) (Within the last 5 years) (Within the last 5 years) (Within the last 6 months) (Within the last 7 days) (Within the last 9 years) (Within the last 12 months)
Where did that most recent sex with stimulants and multiple partners take place?
Where did that most recent sex with stimulants and multiple partners take place? QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU COMBINED STIMULANT DRUGS AND SEX WITH MORE THAN ONE MAN AT THE SAME TIME? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS (**Your home** (**Someone else's home** (**A hotel room** (**In a club or backroom of a bar** (**A sauna** (**A porn cinema** (**A porn cinema** (**A cruising location (street, roadside service area, park, beach, baths, lavatory)* (**Other answer**)

Please describe your other answer

QUESTION SHOWN WHEN ANSWER TO QUESTION WHERE DID THAT MOST RECENT SEX WITH STIMULANTS AND MULTIPLE PARTNERS TAKE PLACE? IS ANY OF OTHER ANSWER

For how many years have you been combining stimulant drugs and multiple sexual partners?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU COMBINED STIMULANT DRUGS AND SEX WITH MORE THAN ONE MAN AT THE SAME TIME? IS ANY OF WITHIN

THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS							
[Please select an answer]							
Less than one year	7						
Less than 2 years							
Less than 3 years							
Less than 4 years							
Less than 5 years							
Less than 6 years							
Less than 7 years							
Less than 8 years							
Less than 9 years							
About 10 years							

Concern about drugs

More than 10 years

Do you disagree or agree with the following statement:

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED POPPERS (NITRITE INHALANTS)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED CANNABIS (HASHISH. MARIJUANA)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED ECSTASY (E, XTC, MDMA) IN THE FORM OF A PILL? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED AMPHETAMINE (SPEED)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED CRYSTAL METHAMPHETAMINE (CRYSTAL, METH, TINA, PERVITIN)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED HEROIN OR RELATED DRUGS (POPPY STRAW, KOMPOT, FENTANYL)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED MEPHEDRONE (4-MMC, MEOW, METHYLONE, BUBBLES)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED GHB/GBL (LIQUID ECSTASY)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED KETAMINE (SPECIAL K)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED LSD (ACID)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED COCAINE? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED CRACK COCAINE? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED SEDATIVES OR TRANQUILIZERS (VALIUM®, RIVOTRIL®, ROHYPNOL®, XANAX®, SEDUXEN® PHENAZEPAM®)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED SYNTHETIC CANNABINOIDS (EG. SPICE, K2, HERBAL INCENSE)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED ECSTASY (E, XTC, MDMA) IN THE FORM OF A CRYSTAL OR POWDER? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 ONTHS OR ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED SYNTHETIC STIMULANTS OTHER THAN MEPHEDRONE (EG. MXE, BATHSALTS, 3-MMC, 4-MEC, 4_FA, XTC-LIGHT)? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS

	Strongly disagree	Disagree	Neither / not sure	Agree	Strongly agree	I don't take drugs	
I worry about my recreational drug use.	0	0/0	79	0	О	0	

Have you ever consulted a health professional for your drug use concerns (apart from tobacco use)?

- No. never
- Yes, within the last 24 hours
- Yes, within the last 7 days
- Yes, within the last 4 weeks
- C Yes, within the last 6 months
- Yes, within the last 12 months
- Yes, within the last 5 years
- Yes, more than 5 years ago

, apart . use (a, Have you ever attended a self-help group, harm reduction programme or counsellor about your drug use (apart from tobacco use)?

- No, never
- Yes, within the last 24 hours
- Yes, within the last 7 days
- Yes, within the last 4 weeks
- Yes, within the last 6 months
- Yes, within the last 12 months Yes, within the last 5 years
- Yes, more than 5 years ago

Concern about alcohol

Thinking about drinking alcohol in the past 12 months...

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED ALCOHOL? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS

Have you tried to cut down on your drinking?

QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED ALCOHOL? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS

○ No ○ Yes
Have people annoyed you by criticising your drinking?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED ALCOHOL? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS NO Yes
Have you felt bad or guilty about your drinking?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED ALCOHOL? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS NO Yes
Have you taken a drink first thing in the morning to steady your nerves or get rid of a hangover?
QUESTION SHOWN WHEN ANSWER TO QUESTION WHEN WAS THE LAST TIME YOU CONSUMED ALCOHOL? IS ANY OF WITHIN THE LAST 24 HOURS, WITHIN THE LAST 7 DAYS, WITHIN THE LAST 4 WEEKS, WITHIN THE LAST 6 MONTHS, WITHIN THE LAST 12 MONTHS NO Yes
Have you ever consulted a health professional for your alcohol use concerns?
C No, never C Yes, within the last 24 hours C Yes, within the last 7 days C Yes, within the last 4 weeks C Yes, within the last 6 months C Yes, within the last 12 months C Yes, within the last 5 years C Yes, more than 5 years ago
\$\$autoanswer_randomchoice (autoanswer_randomchoice)
C How do you feel about your social support C How comfortable are you with homosexuality
in the transfer of the transfe
How you feel about your social support PAGE SHOWN WHEN ANSWER TO QUESTION \$\$AUTOANSWER RANDOMCHOICE IS ANY OF HOW DO YOU FEEL ABOUT YOUR SOCIAL SUPPORT
Y, '7,
Do you disagree or agree with the following 8 statements? (Tick one answer in each row)
ANSWER ROTATION
strongly disagree disagree agree strongly agree

	strongly disagree	disagree	agree	strongly agree	!
There are people I can count on in an emergency	0	0 0	in Colp	0	
There is no one who shares my interests and concerns	С	0	So. 0	0	
There are people who enjoy the same social activities as I do	0	0	0 0/	(Ac	
There is no one I can depend on for aid if I really need it	0	0	0	0,00	Ġ
There is no one who likes to do the things I do	0	0	0		9/1
There are people I can depend on to help me if I really need it	0	0	0	694	5 5
I feel part of a group of people who share my attitudes and beliefs	0	0	0	0	O.C.
If something went wrong no one would help me	0	0	0	0	•

How comfortable are you with homosexuality

PAGE SHOWN WHEN ANSWER TO QUESTION \$\$AUTOANSWER_RANDOMCHOICE IS ANY OF HOW COMFORTABLE ARE YOU WITH HOMOSEXUALITY

Do you disagree or agree with the following statements on a scale of 1 Strongly disagree to 7 Strongly agree? Please do not spend too much time thinking about any one statement.

(Tick one answer in each row)

ANSWER ROTATION

	1 Strongly disagree	2	3	4 Undecided	5	6	7 Strongly agree	Does not apply to me
I feel comfortable in gay bars.	0	0	0	0	0	0	0	0
Social situations with gay men make me feel uncomfortable.	0	0	0	0	0	0	0	0
I feel comfortable being seen in public with an obviously gay person.	0	0	0	0	0	0	0	0
I feel comfortable discussing homosexuality in a public situation.	0	О	0	0	0	С	0	С
I feel comfortable being a homosexual man.	0	0	0	0	0	0	0	0
Homosexuality is morally acceptable to me.	0	0	C	0	0	О	0	0
Even if I could change my sexual orientation, I wouldn't.	08	0	0	0	0	0	0	0

About homophobic intimidation and assault

Please say when something last happened, even if this was not typical for you.

When was the last time you were stared at or intimidated because someone knew or presumed you are attracted to men?

- Within the last 24 hours
- Within the last 7 days
- Within the last 4 weeks
- Within the last 6 months
- Within the last 12 months
- Within the last 5 years
- More than 5 years ago

someone When was the last time you had verbal insults directed at you, because someone knew or presumed you are attracted to men?

- Never
- Within the last 24 hours
- Within the last 7 days
- Within the last 4 weeks
- Within the last 6 months
- Within the last 12 months
- Within the last 5 years
- More than 5 years ago

e knew ou are c When was the last time you were punched, hit, kicked, or beaten because someone knew or presumed you are attracted to men?

- Never
- Within the last 24 hours
- Within the last 7 days
- Within the last 4 weeks
- Within the last 6 months Within the last 12 months
- Within the last 5 years
- More than 5 years ago

A final few things about you

How many years have you spent in full-time education since the age of 16?

49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, OVER

[Please select an answer] <u></u> None 2 3 4 5 6 7 8 9 10 More than 10 Which of the following best describes your current occupation? Employed full-time Employed part-time Self-employed Unemployed Student Retired C Long-term sick leave / medically retired Other Which of these phrases would you say comes closest to your feelings about your income these days? C Living really comfortably on present income C Living comfortably on present income Neither comfortable nor struggling on present income Struggling on present income Really struggling on present income Do you consider yourself a member of an ethnic or racial minority in **? ** IN QUESTION IS REPLACED WITH ANSWER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN? No Yes What majority are you a member of? QUESTION SHOWN WHEN ANSWER TO QUESTION DO YOU CONSIDER YOURSELF A MEMBER OF AN ETHNIC OR RACIAL MINORITY IN **? IS ANY OF NO What minority are you a member of? QUESTION SHOWN WHEN ANSWER TO QUESTION DO YOU CONSIDER YOURSELF A MEMBER OF AN ETHNIC OR RACIAL MINORITY IN **? IS ANY OF YES Do you work as a community health worker to gay/bisexual and other MSM (that is, provide sexual health services outside of a clinical setting)? (CHW_question) **COMPULSORY QUESTION** Yes, as a paid worker Yes, as a volunteer Which of the following best describes the type of organisation you work for/with when working as a community health worker? QUESTION SHOWN WHEN ANSWER TO QUESTION DO YOU WORK AS A COMMUNITY HEALTH WORKER TO GAY/BISEXUAL AND OTHER MSM (THAT IS, PROVIDE SEXUAL HEALTH SERVICES OUTSIDE OF A CLINICAL SETTING)? IS ANY OF YES, AS A PAID WORKER, YES, AS A VOLUNTEER Private not-for-profit (non-governmental organisation, charity, civil society, grassroots organisation) Private for-profit/commercial organisation Government/local authority/public organisation None – I do not work for an organisation What is the main purpose of the organisation you work for/with when working as a community health worker? QUESTION SHOWN WHEN ANSWER TO QUESTION DO YOU WORK AS A COMMUNITY HEALTH WORKER TO GAY/BISEXUAL AND OTHER MSM (THAT IS, PROVIDE SEXUAL HEALTH SERVICES OUTSIDE OF A CLINICAL SETTING)? IS ANY OF YES, AS A PAID WORKER, YES, AS A VOLUNTEER Sexual health General health (e.g. hospital, clinic, community health, GP) Religion Education (school, college or university)

Housing/homelessness

AdvocacyTransport

Other answer

And finally...

Who is the sexiest man on the planet?

[Image only]

QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN? IS ANY OF UK, ENGLAND, UK, WALES



Are you aware of the SELPHI online study of HIV self-testing kits?


QUESTION SHOWN WHEN ANSWER TO QUESTION WHICH COUNTRY DO YOU CURRENTLY LIVE IN? IS ANY OF UK, ENGLAND, UK, WALES

No

Yes

Thanks for taking part. Now Please press 'submit answers'.

I (CHW_exit_ \$\$Question on country and CHW status for routing to page on survey completion (CHW_exit_checker)



Luxembourg Macedonia (Former Yugoslav Republic) Malta Moldova Monaco Montenegro Netherlands Norway Philippines Poland Portugal Romania Russia (Russian Federation) San Marino Serbia Slovakia Slovenia Spain Sweden Switzerland Turkey Filler Ukraine UK, England UK, Northern Ireland The Angular of Alles in Other languages. UK, Scotland UK, Wales UK, British Overseas Territories and Crown Dependencies UK, Wales Vatican City Other Andorra

HOW TO OBTAIN EU PUBLICATIONS

Free publications:

- one copy:
 via EU Bookshop (http://bookshop.europa.eu);
- more than one copy or posters/maps:
 from the European Union's representations (http://ec.europa.eu/represent_en.htm);
 from the delegations in non-EU countries
 (http://eeas.europa.eu/delegations/index_en.htm);
 by contacting the Europe Direct service (http://europa.eu/europedirect/index_en.htm)
 or calling 00 800 6 7 8 9 10 11 (freephone number from anywhere in the EU) (*).
 - (*) The information given is free, as are most calls (though some operators, phone boxes or hotels may charge you).

Priced publications:

• via EU Bookshop (http://bookshop.europa.eu).

